



MAXI

campioni di tessuti, bordi e verniciatura telai
samples of fabrics, borders and varnished frames
Muster von Stoffe, Säume und lackierte Gestellen




PAN



DIOMEDE



ADONE



ADONE EVO




MINOSSE




ELIO



EFESTO



OLIMPO



campioni di tessuti
samples of fabrics
Stoffe Muster




0001




7133




7548




0681




7559




U224




6196




6088



U104



U171



6028



jacquard fabric leaves
price on request




87




7264



6022




6720



6688




7244




0853



6687



6023



8201




7703




6316




0867



8777




8206



0020



3914



8601

ADONE PLUS

Recycled PET solution dyed "outdoor"
width 120 cm
weight 290 g/m²
water column ≥ 380 mm

n. 328 x  = 21 m² of fabric

price on request



6254/551



6231/597




6236/590


campioni di tessuti
samples of fabrics
Muster von Stoffe




6015/100




6015/101




6090/100




6052/100




6079/100




6926/100




6930/100



6008/100



6011/100



6073/100



BIANCO white lacquered



ANTRACITE anthracite lacquered



optional RAL
not available for mod. elio

campioni di bordi | samples of borders | Säume Muster




15




15/1



52



926




81




24



79




727




94



97




87




10




75



21




71




82/100



16




62



7



5



12



55



54



73



56



11



91

TECHNICAL DATA – MAXI



Composizione Fibre analysis	100% fibra acrilica tinta in massa 100% Solution dyed acrylic fabric	100% fibra poliestere tinta in massa 100% Solution dyed polyester fabric
Costruzione Construction	ordito 29 fili/cm - trama 16 fili/cm warp 29 threads/cm - weft 16 threads/cm	ordito 28 fili/cm - trama 17 fili/cm warp 28 threads/cm - weft 17 threads/cm
Titolo Yarn number	ordito mN 2/34 - trama mN 2/34 warp mN 2/34 - weft mN 2/34	-
Altezza Width	120/183/200 cm 120/183/200 cm	120 cm 120 cm
Peso Weight	290 g/m ² 290 g/m ²	300 g/m ² 300 g/m ²
Spessore Thickness	0,64 mm 0,64 mm	0,44 mm 0,44 mm
Resistenza alla trazione (UNI EN ISO 13934-1:2013) Breaking load (UNI EN ISO 13934-1:2013)	ordito 1250 mN - trama 880 mN warp 1250 mN - weft 880 mN	ordito 2100 mN - trama 1400 mN warp 2100 mN - weft 1400 mN
Finissaggio (trattamento Cleangard) Finishing (Cleangard treatment)	idro-oleorepellente e repulsione allo sporco water, oil and dirt repellent	idro-oleorepellente e repulsione allo sporco water, oil and dirt repellent
Xenotest 1000 h (UNI EN ISO 105-B04:2000) Xenotest 1000 h (UNI EN ISO 105-B04:2000)	4 class/5 4 class/5	-
Colonna d'acqua (UNI EN ISO 811/2018) Water column (UNI EN ISO 811/2018)	350/370 mm 350/370 mm	≥ 380 mm ≥ 380 mm
Impermeabilità (UNI EN ISO 4920:2013) Impermeability (UNI EN ISO 4920:2013)	Spray Test 5 (100) Spray Test 5 (100)	Spray Test 5 (100) Spray Test 5 (100)
Resistenza all'abrasione (UNI EN ISO 5470-2:2004) Rubber test (UNI EN ISO 5470-2:2004)	> 20.000 cicli > 20.000 cycles	> 20.000 cicli > 20.000 cycles
Resistenza alla luce (UNI EN ISO 105-B02:2014) Colour fastness to light (UNI EN ISO 105-B02:2014)	7/8 scala dei blu - 4/5 scala dei grigi 7/8 degree blu scale - 4/5 degree grey scale	7/8 scala dei blu - 4/5 scala dei grigi 7/8 degree blu scale - 4/5 degree grey scale
Resistenza alle intemperie (UNI EN ISO 105-B04:2000) Colour fastness to weather condition (UNI EN ISO 105-B04:2000)	7/8 scala dei blu - 4/5 scala dei grigi 7/8 degree blu scale - 4/5 degree grey scale	7/8 scala dei blu - 4/5 scala dei grigi 7/8 degree blu scale - 4/5 degree grey scale



don't iron



don't bleach



dry cleaning is not allowed



only cold washing is permitted



cold hand washing is permitted



don't use pressure-washer



FINISHING
CLEANGARD®
OUTDOOR TREATMENT