**INFINITY - 8** 

#### SIROCCO - 10

SIDE WIND - 12

**TELESCOPIC - 14** 

ALIZE - 16

Үаснт - 18

CIRCA AND TRI-POD - 19

MATERIAL COMPARISON - 20

PARASOL COVERS - 21

BASES - 22

ACCESSORIES - 23

**COMMERCIAL AND CONTRACT - 24** 

PRINTING - 25

SPARE PARTS - 26





Bambrella® Levante is our premium and most popular parasol, designed for the commercial and high-end domestic markets. It is made using a single piece pole for extra strength and durability, and has simple, clean classic lines, with the contemporary feel of stainless steel and natural bamboo. Our double pulley and rope system ensures easy raising and lowering of the parasols, even on the largest of models. The Levante range incorporates a turned bamboo hub and runner with stainless steel brackets, a bamboo finial, and an elegant, practical hour glass shaped pin made from bamboo and stainless steel. The covers are attached using our own bolt-down stainless steel rib end protector system or alternatively sewn pockets. The ribs and supporting arms are fitted with stainless steel through bolts, making all the parts easily interchangeable.

#### Technical Data - Levante

Material frame: The pole, ribs, hub, runner and finial are all made using laminated bamboo. All metal fittings are 304 stainless steel. Opening: A double pulley and rope system is used for easy light opening.



1=total height 2=open height 3=closed height

| Shape              | Code              | Size                        | Total<br>height | Open<br>height | Closed<br>height | Pole Size       | No of<br>ribs | Size of ribs               |
|--------------------|-------------------|-----------------------------|-----------------|----------------|------------------|-----------------|---------------|----------------------------|
| $\bigwedge$        | 2.5m R-L          | 2.5m<br>8'3"                | 2.65m<br>8'8"   | 2.1m<br>6'10"  | 1.24m<br>4'      | 38 mm<br>1 1/2" | 8             | 28 x 20mm 1<br>1/8" x 3/4" |
| $\bigtriangledown$ | 3.0m R-L          | 3.0m<br>9'11"               | 2.7m<br>8'10"   | 2.1m<br>6'10"  | 1.05m<br>3'5"    | 48 mm<br>1 7/8" | 8             | 28 x 20mm 1<br>1/8" x 3/4" |
|                    | 3.5m R-L          | 3.5m<br>11'6"               | 2.8m<br>9'2"    | 2.1m<br>6'10"  | 0.89m<br>2'11"   | 48 mm<br>1 7/8  | 8             | 35 x 20mm 1<br>3/8" x 3/4" |
|                    | 4.0m R-L          | 4.0m<br>13'2"               | 2.8m<br>9'2"    | 2.1m<br>6'10"  | 0.83m<br>2'8"    | 58 mm<br>2 1/4" | 8             | 35 x 20mm 1<br>3/8" x 3/4" |
|                    | 2.1m SQ-L         | 2.1 x 2.1m<br>6'11" x 6'11" | 2.75m<br>9'0"   | 2.13m<br>6'11" | 1.10m<br>3'7"    | 38 mm<br>1 1/2" | 4             | 28 x 20mm 1<br>1/8" x 3/4" |
| ZN                 | 2.6m SQ-L         | 2.6 x 2.6m<br>8'7" x 8'7"   | 2.9m<br>9'6"    | 2.10m<br>6'10" | 0.86m<br>2'10"   | 48 mm<br>1 7/8" | 8             | 28 x 20mm 1<br>1/8" x 3/4" |
|                    | 3.0m SQ-L         | 3.0 x 3.0m<br>9'11" x 9'11" | 3.05m<br>10'0"  | 2.26m<br>7'5"  | 0.80m<br>2'7"    | 48 mm<br>1 7/8" | 8             | 35 x 20mm 1<br>3/8" x 3/4" |
|                    | 3.4m SQ-L         | 3.4 x 3.4m<br>11'2" x 11'2" | 3.37m<br>11'0"  | 2.42m<br>7'11" | 0.80m<br>2'7"    | 58 mm<br>2 1/4" | 8             | 35 x 20mm 1<br>3/8" x 3/4" |
|                    | 2.0X3.0m<br>REC-L | 2.0 x 3.0 m<br>6'7" x 9'11" | 2.88m<br>9'5"   | 2.1m<br>6'10"  | 0.92m<br>3'0"    | 48 mm<br>1 7/8" | 6             | 28 x 20mm 1<br>1/8" x 3/4" |
|                    | 2.5X3.5m<br>REC-L | 2.5 x 3.5m<br>8'3" x 11'6"  | 3.0m<br>9'10"   | 2.13m<br>6'11" | 0.76m<br>2'6"    | 58 mm<br>2 1/4" | 8             | 35 x 20mm 1<br>3/8" x 3/4" |















Bambrella<sup>®</sup> Infinity range is similar to the Levante, with the difference being a stainless steel underarm support which replaces the pivot bolt of the rib and rib support on the Levante. We have also increased the size of some of the components on the smaller parasols.

#### Technical Data - Infinity

Material frame: The pole, ribs, hub, runner and finial are all made using laminated bamboo. All metal fittings are 304 stainless steel. Opening: A double pulley and rope system is used for easy light opening.



1=total height 2=open height 3=closed height

| Shape              | Code              | Size                         | Total<br>height | Open<br>height | Closed<br>height | Pole Size       | No of<br>ribs | Size of ribs               |
|--------------------|-------------------|------------------------------|-----------------|----------------|------------------|-----------------|---------------|----------------------------|
| A                  | 2.5m R-I          | 2.5m<br>8'3"                 | 2.65m<br>8'8"   | 2.1m<br>6'10"  | 1.24m<br>4'      | 48 mm<br>1 7/8" | 8             | 35 x 20mm<br>1 3/8" x 3/4" |
| $\bigtriangledown$ | 3.0m R-I          | 3.0m<br>9'11"                | 2.7m<br>8'10"   | 2.1m<br>6'10"  | 1.05m<br>3'5"    | 48 mm<br>1 7/8" | 8             | 35 x 20mm<br>1 3/8" x 3/4" |
|                    | 3.5m R-I          | 3.5m<br>11'6"                | 2.8m<br>9'2"    | 2.1m<br>6'10"  | 0.89m<br>2'11"   | 58 mm<br>2 1/4" | 8             | 35 x 20mm<br>1 3/8" x 3/4" |
|                    | 4.0m R-I          | 4.0m<br>13'2"                | 2.8m<br>9'2"    | 2.1m<br>6'10"  | 0.83m<br>2'8"    | 58 mm<br>2 1/4" | 8             | 35 x 20mm<br>1 3/8" x 3/4" |
|                    | 2.1m SQ-I         | 2.1m x 2.1m<br>6'11" x 6'11" | 2.75m<br>9'0"   | 2.13m<br>6'11" | 1.1m<br>3'7"     | 48 mm<br>1 7/8" | 4             | 35 x 20mm<br>1 3/8" x 3/4" |
|                    | 2.6m SQ-I         | 2.6m x 2.6m<br>8'7" x 8'7"   | 2.9m<br>9'6"    | 2.1m<br>6'10"  | 0.86m<br>2'10"   | 48 mm<br>1 7/8" | 8             | 35 x 20mm<br>1 3/8" x 3/4" |
|                    | 3.0m SQ-I         | 3.0m x 3.0m<br>9'11" x 9'11" | 3.05m<br>10'0"  | 2.26m<br>7'5"  | 0.80m<br>2'7"    | 58 mm<br>1 1/4" | 8             | 35 x 20mm 1<br>3/8" x 3/4" |
|                    | 3.4m SQ-I         | 3.4m x 3.4m<br>11'2" x 11'2" | 3.37m<br>11'0"  | 2.42m<br>7'11" | 0.80m<br>2'7"    | 58 mm<br>2 1/4" | 8             | 35 x 20mm 1<br>3/8" x 3/4" |
| M                  | 2.0X3.0m<br>REC-I | 2.0m x 3.0m<br>6'7" x 9'11"  | 2.88m<br>9'5"   | 2.1m<br>6'10"  | 0.92m<br>3'0"    | 48 mm<br>1 7/8" | 6             | 35 x 20mm 1<br>3/8" x 3/4" |
|                    | 2.5x3.5m<br>REC-I | 2.5m x 3.5m<br>8'3" x 11'6"  | 3.0m<br>9'10"   | 2.13m<br>6'11" | 0.76m<br>2'6"    | 58mm<br>2 1/4"  | 8             | 35 x 20mm 1<br>3/8" x 3/4" |










The Sirocco is our budget range whilst still keeping the Bambrella® three key points of design - durability, strength and style. The main feature of the Sirocco is the use of nylon for the hub and runner, which have built in rollers for the rope pulley system and a patented locking cleat. This clamps the rope so there is no need for the use of a pin to hold the canopy up. The smaller sizes of the Sirocco can have a two piece pole using a 304 stainless steel connector allowing for easy storage and transportation. The Sirocco like all of our other ranges has easily changeable parts. These parasols are designed for both commercial and domestic use.

#### Technical Data - Sirocco

Material: The pole and ribs are all made using laminated bamboo. The hub, runner and finial are all made from marine grade nylon PA66. All metal fittings are 304 stainless steel.

Opening: A double pulley and rope system is used for easy light opening.



1=total height 2=open height 3=closed height

| Shape                    | Code              | Size                        | Total<br>height | Open<br>height | Closed<br>height | Pole Size                      | No of<br>ribs | Size of ribs              |
|--------------------------|-------------------|-----------------------------|-----------------|----------------|------------------|--------------------------------|---------------|---------------------------|
| $\wedge$                 | 2.0m R-S          | 2.0m<br>6'6"                | 2.35m<br>7'8"   | 1.9m<br>6'3"   | 1.2m<br>3'11"    | 38 or 48mm<br>1 1/2" or 1 7/8" | 6             | 25 x 20mm<br>1" x 3/4"    |
| $\langle \nabla \rangle$ | 2.5m R-S          | 2.5m<br>8'3"                | 2.4m<br>7'10"   | 1.9m<br>6'3"   | 1.2m<br>3'9"     | 38 or 48mm<br>1 1/2" or 1 7/8" | 6             | 25 x 20mm<br>1" x 3/4"    |
|                          | 2.7m R-S          | 2.7m<br>8'10"               | 2.43m<br>7'11"  | 1.9m<br>6'3"   | 1.0m<br>3'3"     | 38 or 48mm<br>1 1/2" or 1 7/8" | 6             | 25 x 20mm<br>1" x 3/4"    |
|                          | 3.0m R-S          | 3.0m<br>9'11"               | 2.54m<br>8'4"   | 1.9m<br>6'3"   | 1.0m<br>3'3"     | 38 or 48mm<br>1 1/2" or 1 7/8" | 6             | 25 x 20mm<br>1" x 3/4"    |
|                          | 3.5m R-S          | 3.5m<br>11'6"               | 2.7m<br>8'10"   | 2.0m<br>6'6"   | 0.8m<br>2'7"     | 45 or 58mm<br>1 7/8" or 2 1/4" | 8             | 28 x 20mm<br>1 1/8" x 3/4 |
|                          | 4.0m R-S          | 4.0m<br>13'2"               | 2.87m<br>9'5"   | 2.0m<br>6'6"   | 0.73m<br>2'5"    | 58mm<br>12/4"                  | 8             | 35 x 20mm<br>1 3/8" x 3/4 |
|                          | 2.0m SQ-S         | 2.0 x 2.0m<br>6'6" x 6'6"   | 2.53m<br>8'4"   | 2.0m<br>6'6"   | 1.0m<br>3'3"     | 38 or 48mm<br>1 1/2" or 1 7/8" | 4             | 25 x 20mm<br>1" x 3/4"    |
| ZŊ                       | 2.6m SQ-S         | 2.6 x 2.6m<br>8'7" x 8'7"   | 2.55m<br>8'4"   | 2.0m<br>6'6"   | 0.5m<br>1'8"     | 48 mm<br>1 7/8"                | 8             | 25 x 20mm<br>1" x 3/4"    |
|                          | 2.9m SQ-S         | 2.9 x 2.9m<br>9'6" x 9'6"   | 2.8m<br>9'2"    | 2.0m<br>6'6"   | 0.50m<br>1'8"    | 48 mm<br>1 7/8"                | 8             | 28 x 20mm<br>1 1/8" x3/4  |
|                          | 3.4m SQ-S         | 3.4 x 3.4m<br>11'2" x 11'2" | 2.8m<br>9'2"    | 2.0m<br>6'6"   | 0.45m<br>1'6"    | 58 mm<br>2 1/4"                | 8             | 35 x 20mm<br>1 3/8" x3/4  |
|                          | 1.7X2.9m<br>REC-S | 1.7 x 2.9m<br>5'7" x 9'6"   | 2.65m<br>8'8"   | 2.0m           | 0.85m<br>2'9"    | 48 mm<br>1 7/8"                | 6             | 25 x 20mm<br>1" x 3/4"    |










The Side Wind range is our range of side pole umbrellas, manufactured and designed to exacting standards with durability, strength and style in mind - the three key points of Bambrella® products. The Side Wind features a 360° rotating base and 45° tilt so you can still find shade as the Sun goes down. The base has adjustable feet for uneven surfaces whilst protecting the floor at the same time. We use is a specialized type of polymer for the bearings meaning that they never seize up or rust. This umbrella was designed for both commercial and domestic use, bringing a magnificent focal point for any situation. We can also supply this parasol with a ground base.

#### Technical Data - Side Wind

Material frame: The posts, ribs, hub, runner and finial are all made using laminated bamboo. All metal fittings are 304 stainless steel. Base frame and post connectors e-coated then powder coated steel.

**Opening:** A winch system is used using 304 stainless steel wire.



1=total height 2=open height 3=closed height

| Shape        | Code               | Size                        | Total<br>Height | Open<br>Height | Closed<br>height | No of ribs | Size of ribs               | Bases                 |
|--------------|--------------------|-----------------------------|-----------------|----------------|------------------|------------|----------------------------|-----------------------|
| $\bigotimes$ | 3.5 R-SW           | 3.5m<br>11'6"               | 3.1m<br>10'2"   | 2.1m<br>6'10"  | 0.82m<br>2'8"    | 8          | 35 x 20mm<br>1 3/8" x 3/4" | 2 x 70kg<br>2 x 154lb |
|              | 3.0 SQ-SW          | 3.0m<br>9'11"               | 3.20m<br>10'6"  | 2.1m<br>6'10"  | 0.6m<br>1'11"    | 8          | 35 x 20mm<br>1 3/8" x 3/4" | 2 x 70kg<br>2 x 154lb |
|              | 3.4 SQ-SW          | 3.4m<br>11'2"               | 3.36m<br>11'0"  | 2.1m<br>6'10"  | 0.43m<br>1'5"    | 8          | 35 x 20mm<br>1 3/8" x 3/4" | 4 x 50kg<br>4 x 110lb |
|              | 2.5X3.5m<br>REC-SW | 2.5 x 3.5m<br>8'3" x 11'6"  | 3.40m<br>11'2"  | 2.1m<br>6'10"  | 0.68m<br>2'3"    | 8          | 35 x 20mm<br>1 3/8" x 3/4" | 2 x 70kg<br>2 x 154lb |
|              | 3.0X3.4m<br>REC-SW | 3.0 x 3.4m<br>9'7" x 12'11" | 3.40m<br>11'2"  | 2.1m<br>6'10"  | 0.4m<br>1'4"     | 8          | 35 x 20mm<br>1 3/8" x 3/4" | 4 x 50kg<br>4 x 110lb |






The four metre telescopic is our largest parasol and it is designed so it will still close over the height of a table. It is a stunning parasol and perfect for commercial use, when needing to shade a few tables. We make this parasol using either the Levante hub and runner or the nylon Sirocco hub and runner.

Technical Data - Levante telescopic


| runner and finial are all made using | Opening: A double pulley and<br>rope system is used for easy<br>light opening. |
|--------------------------------------|--|
|--------------------------------------|--|

#### Technical Data - Telescopic Sirocco

| Material: The pole and ribs are all<br>made using laminated bamboo. The<br>hub, runner and finial are all made<br>from marine grade nylon PA66. | All metal fittings are 304 stainless<br>steel.<br>Opening: A double pulley and<br>rope system is used for easy<br>light opening. |
|---|--|
|   |  |



1=total height 2=open height 3=closed height



1=total height 2=open height 3=closed height

| Shape | Code    | Size                        | Total<br>height | Open<br>height | Closed<br>height | Pole Size       | No of<br>ribs | Size of ribs               |
|-------|---------|-----------------------------|-----------------|----------------|------------------|-----------------|---------------|----------------------------|
|       | 4m SQ-T | 4.0 x 4.0m<br>13'2" x 13'2" | 4.0m<br>13'2"   | 2.3m<br>7'7"   | 0.8m<br>2'7"     | 58 mm<br>2 1/4" | 8             | 35 x 20mm<br>1 3/8" x 3/4" |

#### LEVANTE 4 METRE TELESCOPIC



#### SIROCCO 4 METRE TELESCOPIC






The impressive Alize pavilion range is the ultimate luxury space for entertaining and relaxing alike. For those wanting more privacy you can close the drapes on four sides. The Alize is extremely robust and can be used as a permanent or temporary structure. The feet at the bottom of the posts can be fixed to any surface using bolts, screws, pegs or you can use our concrete filled bamboo bases. Like all Bambrella® products the Alize is designed for both commercial and domestic use, and this being the strongest design of shade in our collection.




#### Technical Data - Alize


**Material frame:** The pole, posts, ribs, hub, runner and finial are all made using laminated bamboo. All metal fittings are 304 stainless steel. The feet, corner bracket and rib bracket are made from e-coated then powder coated steel.



1=total height 2=frame height

| Shape | Code                | Size                        | Total<br>height | Frame<br>height | Post Size                     | No of<br>ribs | Size of ribs               |
|-------|---------------------|-----------------------------|-----------------|-----------------|-------------------------------|---------------|----------------------------|
|       | 3.0m SQ-A           | 3.0m<br>9'10"               | 3.20m<br>10'6"  | 2.1m<br>6'10"   | 93 x 93 mm<br>3 5/8" x 3 5/8" | 8             | 35 x 20mm<br>1 3/8" x 3/4" |
|       | 3.0 x 4.0m<br>REC-A | 3.0 x 4.0m<br>9'10" x 13'1" | 3.40m<br>11'2"  | 2.1m<br>6'10"   | 93 x 93 mm<br>3 5/8" x 3 5/8" | 8             | 35 x 20mm<br>1 3/8" x 3/4" |





# TRI-POD AND CIRCA CHAIR





The Circa chair designed by Nick Rawcliff is unquestionably a chair that is a conversation starter in any location - a singular piece of circular furniture. By adjusting the positioning of the hoops, the carriage of the chair can be altered according to personal preference. The chair folds completely flat for easy storage.

The Tri-Pod frame consists of three laminated poles, making it incredibly strong and capable of holding weights of over 300kg. The webbing strap and bamboo feet prevent the poles from splaying apart on hard ground, for soft ground you simply open the three poles the opposite way, so the angle of the pole ends dig into the ground. Another feature of the tripod is that it has a stainless steel rotating hanging eye allowing you to effortlessly spin around 360 degrees.

## ACRYLIC

We offer Sunbrella® acrylic for those who want the best cover to suit the Bambrella frame. Please visit the website sunbrella.com for more details.

## MATERIAL COMPARISON

| Fabric property   | Sunbrella®                                   | Spuncrylic*                         | Olefin                                       | Polyester                         |
|---|--|-------------------------------------|--|-----------------------------------|
| Fabric width  | 54" / ~ 1.37m                                | 54" / ~ 1.37m                       | 54" / 1.37m                                  | 54" / ~ 1.37m                     |
| Maximum fabric width  | 56" / ~ 1.42m                                | 80" / ~ 2.03m                       | 65″ / ~ 1.65m                                | 72" / ~ 1.82m                     |
| Fabric weight   | 255g/m <sup>2</sup> - 315g/m <sup>2</sup>    | 240g/m <sup>2</sup>                 | 240g/m <sup>2</sup>                          | 240g/m <sup>2</sup>               |
| Material  | Acrylic                                      | Polyester                           | Polypropylene                                | Polyester                         |
| Method  | Solution-dyed                                | Solution-dyed                       | Solution-dyed                                | Piece-dyed or<br>yarn-dyed        |
| Melting point °C  | 250 ~ 260                                    | 160 ~ 170                           | 250 ~ 260                                    | 250 ~ 260                         |
| Colorfastness to light<br>(AATCC16, option 3, water<br>cooled, xeno-arc lamp,<br>AATCC scale)           | 1500<br>hours;<br>grade 4 - 5                | 800 - 1000<br>hours;<br>grade 3 - 4 | 400 - 800<br>hours;<br>grade 3 - 4           | 80 - 100<br>hours;<br>grade 3 - 4 |
| Tearing strength<br>Elmendorf Apparatus<br>(ASTM D1424 capacity<br>of testing 6400)                     | Unknown                                      | Warp: +11,5<br>Weft: 7.8            | Warp: +11,5<br>Weft: 7.8                     | Good                              |
| Breaking strenght of textile<br>fabrics, GRAB test (ASTM<br>D5034, 1" G - E, Instron<br>speed 12in/min) | Unknown                                      | Warp: +180<br>Weft: +180            | Good   | Good                              |
| Ageing resistance   | Excellent                                    | Excellent                           | Fair   | Good                              |
| Fabric weight variety   | 225g/m <sup>2</sup> -<br>315g/m <sup>2</sup> | 190g/m² -<br>300g/m²                | 190g/m <sup>2</sup> -<br>300g/m <sup>2</sup> | 140g/m² -<br>320g/m²              |
| Fabric warranty   | 5 years                                      | 2 years                             | 1 year                                       | None                              |
| Cost comparison   | 250%   | 100%                                | 80%  | 50%                               |

# PARASOL COVERS

We offer several types of material with different qualities, which give a range of performance depending on the use and the budget to be specified

#### SPUNCRYLIC<sup>®</sup>





Spuncrylic<sup>®</sup> is polyester that has gone through a process called solution dying giving it very high resistance to fading from sunlight. Spuncrylic<sup>®</sup> also has good stain resistance and water repellence. In addition it has a UPF of at least 50. This material has a similar performance to acrylic but at a much more affordable price.

| Black<br>SP/08014 | Taupe<br>SP/08040            | Harvest Wheat<br>SP/08043 | Ecru<br>SP/08013         | Ice White<br>SP/08056  |
|-------------------|------------------------------|---------------------------|--------------------------|------------------------|
|                   |                              |                           |                          |                        |
| Red<br>SP/08099   | Sunflower Yellow<br>SP/08133 | Light Blue<br>SP/08103    | Forest Green<br>SP/08046 | Terracotta<br>SP/08097 |
|                   |                              |                           |                          |                        |

## POLYESTER

Polyester is a strong fiber that is resistant to creasing and keeps its shape well. The price is quite low in comparison to other umbrella cover materials with the only drawback being the colour fastness of the darker materials. This is why we only offer two natural colours in the polyester material.





Natural NAT01 Khaki BEI01

# BAMBRELLA<sup>®</sup> BASES



50 kg Grey granite base with pullout handle and wheels. Size; 52cm x 52cm x 7cm



70 kg Grey granite base with pullout handle and wheels. Size; 60cm x 60cm x 8cm



50 kg Black granite base with pullout handle and wheels. Size; 52cm x 52cm x 7cm



70kg Black granite bass with pullout handle and wheels. Size; 60cm x 60cm x 8cm



38mm, 48mm and 58mm base tubes for 50kg and 70kg granite bases.



ground bases for stainless steel base tubes and side winds.



30kg grey granite base with stainless steel pole. Size; 45cm x 45cm x 5cm



50kg grey concrete base with pullout handles. Size; diameter 60cm x 11cm

## **PROTECTIVE COVERS**




All our covers come with an extension pole, which is fitted into a channel in the cover; this enables you to easily place the cover over the top of the Bambrella® while zipping it down for final protection and storage.



For the SIDEWIND protective cover there are two extension poles so you can hook the cover over the entire canopy.



## TV SCREEN



## LEAFLET HOLDER



tools for retailers selling windtunnel test and the



## BAMBRELLA® DISPLAY RACKS



Our Bambrella® display rack is the ideal way to store, promote and retail our laminated bamboo parasols.

## SPARE COVERS



Bambrella® replacement covers are conviently packaged and available in a variety of colours, materials, sizes and styles fitting all our Bambrella® parasols and others depending upon suitability.

## COMMERCIAL/CONTRACT PROJECTS

All of the ranges of Bambrella parasols are designed for both commercial and contract use due to their strength and quality. We supply hotels, spas, country clubs, restaurants, bars and golf clubs worldwide.





### PRINTING

All of our covers can be printed on with simple printed text of full colour company logos. For larger orders we screen print on the full roll of material before we cut out the shapes that make up the parasol cover, we call this full colour printing. This is perfect for advertising for businesses large or small. Our clients for printed parasols include drinks companies, breweries, distilleries, wineries, coffee shops, restaurants, pubs, clubs and other companies from all different sectors who want to promote their brand and quality in style.

## TABLE TOPS

We supply a range of different table tops in three different shapes; round, rectangle and square. The table tops are made from triple laminated bamboo board, which has been treated for outdoor use, but can be also used indoors. The table tops have a thickness of 22mm, bespoke sizes can be manufactured to your specifications.





**Ball finial** 



Nylon black hub



Bamboo hub



Disk finial



Nylon black runner



Bamboo runner



U-shaped hub and runner bracket



Bambrella® finial



Resin black ball finial



Nylon Bambrella® Finial



Down-roller



Acorn finial



Resin black acorn finial



Rope Pull



Infinity underarm support bracket



Up-roller

Rib-end protector



Pulley rope



Cover bolt



Bambrella® pin



Long bolt, PE and metal washer



Pole connector aluminium or stainless steel



Short bolt, PE and metal washer



Stainless steel pin