






# POINT



FABRICS  
2026 - 2027





G4 | 1330



G4 | 1332



G4 | 1327



G3 | 1322



G2 | 1307



G2 | 1309



G2 | 1315



G2 | 1304



G2 | 1317



G2 | 1310



G4 | 1290



G2 | 1068



G2 | 1340




G4 | 1336



G4 | 1334



G4 | 1335



G3 | 1323



G4 | 1288



G4 | 1287



G2 | 1252



G2 | 1220



G2 | 1312



G3 | 1277



G3 | 1280



G2 | 1086



G2 | 1311



G2 | 1319



G2 | 1306



G2 | 1269



G2 | 1318



G2 | 1253



G4 | 1328



G4 | 1286

G2 | 1316

G4 | 1331

G2 | 1088

G3 | 1325

G2 | 1249



G2 | 1069

G2 | 1321


G3 | 1278

G1 | 22

G1 | 21

G1 | 1101

G1 | 1103



G4|1329



G2|1308

G2|1320

G3|1324

G2|1313

G2|1303



G4|1326

G2|1305

G4|1337

G2|1314

G4|1333

REF.	COMPOSITION	MARTINDALE CYCLES	WIDTH	WEIGHT	LIGHT FASTNESS	FEATURES
0021	100% Solution-Dyed Acrylic	20,000	160 cm - 63 in	304 gr/m <sup>2</sup>	7/8	
0022	100% Solution-Dyed Acrylic	20,000	160 cm - 63 in	304 gr/m <sup>2</sup>	7/8	
1068	100% Solution-Dyed Acrylic - 50% Rec.	23,000	140 cm - 55 in	335gr/m <sup>2</sup>	8	
1069	100% Solution-Dyed Acrylic - 50% Rec.	23,000	140 cm - 55 in	335gr/m <sup>2</sup>	8	
1086	100% Solution-Dyed Acrylic	25,000	160 cm - 63 in	400 gr/m <sup>2</sup>	7/8	
1088	100% Solution-Dyed Acrylic	25,000	160 cm - 63 in	400 gr/m <sup>2</sup>	7/8	
1101	100% Solution-Dyed Acrylic	20,000	160 cm - 63 in	304 gr/m <sup>2</sup>	7/8	
1103	100% Solution-Dyed Acrylic	20,000	160 cm - 63 in	304 gr/m <sup>2</sup>	7/8	
1220	100% Solution-Dyed Acrylic	13,000	140 cm - 55 in	430gr/m <sup>2</sup>	8	
1249	100% Solution-Dyed Acrylic	18,000	140 cm - 55 in	290gr/m <sup>2</sup>	8	
1252	100% Solution-Dyed Acrylic	20,000	160 cm - 63 in	280 gr/m <sup>2</sup>	7/8	
1253	100% Solution-Dyed Acrylic	20,000	160 cm - 63 in	280 gr/m <sup>2</sup>	7/8	
1269	100% Solution-Dyed Acrylic	20,000	160 cm - 63 in	280 gr/m <sup>2</sup>	7/8	
1277	100% Solution-Dyed Acrylic	60,000	160 cm - 63 in	615 gr/m <sup>2</sup>	7/8	
1278	100% Solution-Dyed Acrylic	60,000	160 cm - 63 in	615 gr/m <sup>2</sup>	7/8	
1280	100% Solution-Dyed Acrylic	60,000	160 cm - 63 in	615 gr/m <sup>2</sup>	7/8	
1286	100% Solution-Dyed Acrylic	50,000	140 cm - 55 in	830gr/m	6/8	
1287	100% Solution-Dyed Acrylic	50,000	140 cm - 55 in	900gr/m	7/8	
1288	100% Solution-Dyed Acrylic	50,000	140 cm - 55 in	900gr/m	7/8	
1290	100% Solution-Dyed Acrylic	50,000	140 cm - 55 in	900gr/m	7/8	
1303	100% Solution-Dyed Acrylic	20,000	160 cm - 63 in	280 gr/m <sup>2</sup>	7/8	
1304	100% Solution-Dyed Acrylic - 50% Rec.	23,000	140 cm - 55 in	335gr/m <sup>2</sup>	8	
1305	100% Solution-Dyed Acrylic - 50% Rec.	23,000	140 cm - 55 in	335gr/m <sup>2</sup>	8	
1306	100% Solution-Dyed Acrylic - 50% Rec.	23,000	140 cm - 55 in	335gr/m <sup>2</sup>	8	
1307	100% Solution-Dyed Acrylic - 50% Rec.	21,000	140 cm - 55 in	365gr/m <sup>2</sup>	8	
1308	100% Solution-Dyed Acrylic - 50% Rec.	21,000	140 cm - 55 in	365gr/m <sup>2</sup>	8	
1309	100% Solution-Dyed Acrylic - 50% Rec.	21,000	140 cm - 55 in	365gr/m <sup>2</sup>	8	
1310	100% Solution-Dyed Acrylic	13,000	140 cm - 55 in	430gr/m <sup>2</sup>	8	
1311	100% Solution-Dyed Acrylic	13,000	140 cm - 55 in	430gr/m <sup>2</sup>	8	
1312	100% Solution-Dyed Acrylic	13,000	140 cm - 55 in	430gr/m <sup>2</sup>	8	
1313	100% Solution-Dyed Acrylic	18,000	140 cm - 55 in	290gr/m <sup>2</sup>	8	
1314	100% Solution-Dyed Acrylic	18,000	140 cm - 55 in	290gr/m <sup>2</sup>	8	
1315	100% Solution-Dyed Acrylic	18,000	140 cm - 55 in	290gr/m <sup>2</sup>	8	
1316	100% Solution-Dyed Acrylic	11,000	140 cm - 55 in	435gr/m <sup>2</sup>	8	
1317	100% Solution-Dyed Acrylic	11,000	140 cm - 55 in	435gr/m <sup>2</sup>	8	
1318	100% Solution-Dyed Acrylic	11,000	140 cm - 55 in	435gr/m <sup>2</sup>	8	
1319	100% Solution-Dyed Acrylic	11,000	140 cm - 55 in	435gr/m <sup>2</sup>	8	
1320	100% Solution-Dyed Acrylic	11,000	140 cm - 55 in	435gr/m <sup>2</sup>	8	
1321	100% Solution-Dyed Acrylic	11,000	140 cm - 55 in	435gr/m <sup>2</sup>	8	
1322	100% Solution-Dyed Acrylic	10,000	140 cm - 55 in	545gr/m <sup>2</sup>	8	
1323	100% Solution-Dyed Acrylic	10,000	140 cm - 55 in	545gr/m <sup>2</sup>	8	
1324	100% Solution-Dyed Acrylic	10,000	140 cm - 55 in	545gr/m <sup>2</sup>	8	
1325	100% Solution-Dyed Acrylic	10,000	140 cm - 55 in	545gr/m <sup>2</sup>	8	
1326	100% Solution-Dyed Acrylic	50,000	140 cm - 55 in	900gr/m	7/8	
1327	100% Solution-Dyed Acrylic	50,000	140 cm - 55 in	900gr/m	7/8	

REF.	COMPOSITION	MARTINDALE CYCLES	WIDTH	WEIGHT	LIGHT FASTNESS	FEATURES
1328	100% Solution-Dyed Acrylic	50,000	140 cm - 55 in	900gr/m	7/8	
1329	100% Solution-Dyed Acrylic	50,000	140 cm - 55 in	840gr/m	7/8	
1330	100% Solution-Dyed Acrylic	50,000	140 cm - 55 in	840gr/m	7/8	
1331	100% Solution-Dyed Acrylic	50,000	140 cm - 55 in	840gr/m	7/8	
1332	100% Solution-Dyed Acrylic	50,000	140 cm - 55 in	840gr/m	7/8	
1333	100% Solution-Dyed Acrylic	40,000	140 cm - 55 in	950gr/m	7/8	
1334	100% Solution-Dyed Acrylic	40,000	140 cm - 55 in	950gr/m	7/8	
1335	100% Solution-Dyed Acrylic	40,000	140 cm - 55 in	950gr/m	7/8	
1336	100% Solution-Dyed Acrylic	40,000	140 cm - 55 in	700gr/m	7/8	
1337	100% Solution-Dyed Acrylic	40,000	140 cm - 55 in	700gr/m	7/8	
1340	100% Solution-Dyed Acrylic - 50% Rec.	23,000	140 cm - 55 in	335gr/m <sup>2</sup>	8	



**BATYLINE MESH FABRICS**

0009	PVC- and Acrylic-Coated Polyester	50,000	180 cm - 70,9 in	460 gr/m <sup>2</sup>	7/8	
0010	PVC- and Acrylic-Coated Polyester	50,000	180 cm - 70,9 in	460 gr/m <sup>2</sup>	7/8	
0011	PVC- and Acrylic-Coated Polyester	50,000	180 cm - 70,9 in	460 gr/m <sup>2</sup>	7/8	
0013	PVC- and Acrylic-Coated Polyester	50,000	180 cm - 70,9 in	460 gr/m <sup>2</sup>	7/8	
0035	PVC- and Acrylic-Coated Polyester - 28% Rec.	120,000	180 cm - 70,9 in	490 gr/m <sup>2</sup>	7/8	
0058	PVC- and Acrylic-Coated Polyester - 28% Rec.	120,000	180 cm - 70,9 in	490 gr/m <sup>2</sup>	7/8	

All our fabrics are free from PFAS. 5 Year Warranty.

Scan the QR code to learn about the technical specifications, certifications, and care and maintenance recommendations for each fabric.

- Water repellent
- Easy to clean
- Breathable
- Bleach cleanable
- Stain resistant
- UV resistant
- Mould resistant



**POINT**