
ванама

Jumbrella out<mark>S</mark>ide Price List 2022





	le round, square 🟶 💥		8 Spokes	8 Spokes	8 Spokes	8 Spokes	8 Spokes	8 Spokes
ltem	Description	Weight/Dimensions Technical Data	Price in €	Price in €	Price in €	Price in €	Price in €	Price in €
nbrella Model and Frame*								
Jumbrella outSide »betex®05« polyester fabric – exclu vely crafted for Bahama	 textile membrane made of »betex®05« polyester fabric 25 colors available according to color chart printing possible aluminum frame in traffic white RAL 9016 textured matte finish, resin components in white component parts in V2A stainless steel 	- depending on umbrella size - fabric weight: approx. 200 g/m²	6,238	6,348	6,538	6,348	6,538	6,728
Frame Color anthracite grey frame finish	- aluminum frame in anthracite grey RAL 7016, textured matte finish - resin components in black				without s	surcharge		
Frame Color wooden frame finish	- aluminum frame in »Golden Oak« finish - resin components in black				5	58		
Frame Color custom finish	aluminum frame in custom RAL finish			without surcha	5 rge when at least 6 or more umbr	58 ellas are ordered under the sam	e purchase order	
Resin Components in black	instead of white				without	surcharge		
V4A Maritime Edition	all component parts in V4A off-shore stainless steel				4	58		
Umbrella Center Pole Extension	depending on the model, up to 50 cm are possible				2	88		
nbrella Model and Frame wi	th alternative Textile Membrane*							
Jumbrella outSide »Precontraint 302«	Frame and frame options same as 1–7, however: - textile membrane made of »Precontraint 302« - polyester fabric 550 Dtex with PVC coating - 25 colors available according to color chart printing possible - B1 certified flame retardant	fabric weight: approx. 480 g/m²	7,174	7,300	7,519	7,300	7,519	7,737
Jumbrella outSide »Sunvas«*	same as 8, however: - textile membrane made of »Sunvas«* polyester fabric - distinctive surface feel printing is not possible	fabric weight: approx. 310 g/m²	7,174	7,300	7,519	7,300	7,519	7,737
Jumbrella outSide »ZebraS, Sunvas striped«*	same as 9, however: - striped	fabric weight: approx. 310 g/m²	7,389	7,519	7,744	7,519	7,744	7,969
ginal Bahama Textile Memb	prane for Replacement*							
Textile Membrane for Replacement »betex®05«	made of »betex®05« polyester fabric		557	629	773	660	884	985
Textile Membrane for Replacement »Precontraint 302«	made of »Precontraint 302« PVC coated polyester fabric		827	914	1,079	966	1,249	1,381
Textile Membrane for Replacement »Sunvas«*	made of »Sunvas«* polyester fabric		827	914	1,079	966	1,249	1,381
Textile Membrane for Replacement »ZebraS, Sunvas striped«*	made of »ZebraS, Sunvas striped«* polyester fabric		1,022	1,132	1,320	1,207	1,548	1,680
nting								
Printing	 - individual digital printing of the textile membrane - vector files required (e.g. PDF, EPS, AI,) 				please refer to separ	rate printing price list		

Jum	brella outSide	square 📉	9 m² 8 Spokes	12 m² 8 Spokes	16 m² 8 Spokes
0.	Item	Description	Price in €	Price in €	Price in €
Textile	Gutter TVR*				
	Frame Modification for Textile Gutter	 modification of the parasol frame for the attachment of the textile gutter (per spoke) for mounting of threaded eye screw and slot nut on spoke profile (no additional drill hole) 	18	18	18
	Textile Gutter	textile gutter made of »betex®05« polyester fabric	524	557	598
	Textile Gutter	textile gutter made of »Precontraint 302« PVC coated polyester fabric 550 Dtex in SERGE FERRARI PRECON- TRAINT Technology	587	623	671
\sim	Textile Gutter	textile gutter made of »Sunvas«* polyester fabric	587	623	671
Side P	anel*				
	Frame Modification for Side Panel	 modification of the parasol frame for the attachment of the side panel (per spoke) for mounting of threaded eye screw and slot nut on spoke profile (no additional drill hole) 	18	18	18
E	Side Panel WITHOUT window	 made of »betex®05«, analogous to the textile membrane mounted to spokes via snap hook rollable, can remain in open parasol connection via zippers aluminum slide-in profiles on the top/bottom edges 	336	373	420
E	Side Panel WITHOUT window WITH door on right or left	same as 21, however, with: - roll-up door - side panel for cantilever side to be ordered separately	476	513	560
C	Side Panel WITH window	same as 21, however, with: - flexible window made of transparent film 0.5 mm thickness	351	391	440
E	Side Panel WITH window WITH door on right or left	same as 23, however, with: - roll-up door	491	531	580
	Connecting Piece	- connecting piece for joining 2 parasols - textile with zippers	118	118	118

* Minimum order quantity 4 umbrellas / or 4 replacement membranes

* for the textile gutters and side panels please indicate the desired color code taken from Bahama color chart.

Remark: The appearance of the items shown in the technical illustrations may vary.

😵 the LARGE-SIZE parasol

Jumbrella outSide | round, square 🛞 💥

lo.	Item		Description	Weight/Dimensions Technical Data	all models Price in (
Permai	nent Installation O	ptions			
	In-Ground Tipping Base	ł	 lower part to be set in concrete powder coated above-ground connecting components with tilting hinge with theft prevention device 	weight: approx. 42 kg	568
	In-Ground Tipping Base Installation WITH electrical connection Radiator		same as 26, however: - for umbrella with electromechanical features	weight: approx. 45.5 kg	658
}	In-Ground Installation Extension		 serves to bridge over a gap – e.g. an installation in a Kindergarten sandbox In-Ground Installation, tiltable (No. 26, 27 and 29) 	custom height: from 89 up to 400 mm	338
	2-piece Flat Foot Mount		- powder coated above-ground connecting compo- nents with tilting hinge - steel plate galvanized	- dimensions: 620 × 620 × 20 mm - weight: approx. 77.5 kg	1,368
	Optional: »fischer« heavy duty anchoring bolts 1 set = 8 pcs.		 type #FH II 18/30 SK A4 M12 thread for 2-piece flat foot mount with counter-bores incl. concrete drill insert type #SDS Plus II, 135 mm drill depth and SW8 Allen wrench 		498
	Wall Brackets		- set of two brackets for wall mounting - material: powder-coated aluminum		568
2	Fastening set for Wall Brackets		- Fastening set for installation of the Wall Brackets (item No. 31) inside the wall		350

The basic wind warranty of 37 months can be extended twice – each time for 37 months. The full validity period of the wind warranty Bahama offers, including the two-time extensions, is in total 111 months, that means 3,376 days or more than 9 years. You may be asking yourself how we calculate such a time frame? The tensile strength of the textile membrane lessens over time due to the influence of various weather conditions and especially disproportionally in the first 3 years. The other fundamental properties of the parasol such as sun protection and waterproofness remain the same. Bahama can, however, only grant the wind warranty with maximal tension and tensile strength of the textile membrane.

For this reason: a newly exchanged Bahama textile membrane = a new Bahama wind warranty.

Remark: The appearance of the items shown in the technical illustrations may vary.

All prices stated are to be regarded as ex-works and excluding VAT. This price list is subject to our General Terms and Conditions in the respectively applicable version




Jumbrella outSide | round, square 🛞 💥

No.	ltem	Description	Weight/Dimensions Technical Data	all models Price in
Protect	tive Cover			
3 4	Protective Cover – comfort	- made of »betex®05« polyester fabric color 9801 - concrete - with zipper for telescopic rod		418
4 A	Protective Cover – comfort with telescopic rod	same as 33, but with: - telescopic rod		558
Impact	Protection			
5	Soft Foam Safeguard for center pole of umbrella	- 2-piece design - round shape, with Velcro - available in 10 colors		498
LED-Li	ghting			
	LED-Lighting with 4 RGBW-LED strips	- 8 RGBW-LED strips - indirect RGBW-LED lighting 120-240/24 V - with remote control - integrated in umbrella spokes		998
7 RGB	LED-Lighting with 8 RGBW-LED strips	same as 32, however: - 8 RGBW-LED strips		1,198
Heating	g			
8	2 Radiators	 2 electric, turnable infrared radiators (available in US edition) variable via remote control can remain in closed umbrella Spiral cable inside umbrella pole with 5-pole plug connection for on-site source cable 5 × 2,5 mm² 	1,500 Watts per radiator	1,945
9	4 Radiators	same as 38, but with: - 4 electric, turnable infrared radiators	1,500 Watts per radiator	2,605
0	Price Reduction for combination of lighting & radiators	when lighting and radiators are ordered at the same time		-200

• • • • • •	• • • • • •			
• • • • • •	• • • • • •	• • • • • • •	• • • • • • •	
		• • • • • • •		
	• • • • • •	• • • • • • •		
• • • • • •	• • • • • •	• • • • • •	• • • • • • •	
		• • • • • • •		

Remark: The appearance of the items shown in the technical illustrations may vary.





Bahama GmbH | Gewerbeparkstr. 34 | D-51580 Reichshof | T +49 (0) 2265 998 0 | F +49 (0) 2265 998 344 | info@bahama.de

www.bahama.de