



# Finishes

# Technopolymer

---



**10**  
white



**11**  
linen



**15**  
dove grey



**17**  
caramel



**81**  
anthracite



**86**  
graphite



**82**  
light grey



**30**  
orange



**40**  
red



**42**  
geranium red



**20**  
yellow



**22**  
mustard yellow



**51**  
light green



**56**  
olive green



**58**  
sage green



**62**  
light blue



**63**  
air-force blue



**60**  
blue



**73**  
terracotta



**72**  
cocoa



**80**  
black




**222**  
white - dove grey



**211**  
white - orange



**212**  
white - red



**223**  
white - sage green



**213**  
white - cornflower blue



**214**  
white - anthracite

# Polycarbonate

---



**100**  
transparent



**310**  
glossy white




**183**  
transparent smoked

# Post consumer industrial technopolymer

---

go  
green



**11**  
linen



**15**  
dove grey



**17**  
caramel



**81**  
anthracite



**22**  
mustard yellow



**56**  
olive green



**58**  
sage green



**63**  
air-force blue

## Wood

---



**FN**  
natural beech



**FS**  
bleached beech



**FW**  
wenge stained beech




**FK**  
smoke beech



**FB**  
black stained beech



**FG**  
matt grey lacquered beech



**FA**  
matt aquamarine  
lacquered beech



**HS**  
bleached ash



**HW**  
white stained ash



**HN**  
blond stained ash



**HB**  
black stained ash  
with visible grains



**IROKO**



**RN**  
natural oak



**NR**  
black stained oak



**NC**  
Canaletto walnut



**MS**  
Sapelli mahogany

# Steel

---



**OS**  
satin brass  
finish steel



**OM**  
matt gold finish  
steel



**BV**  
vintage bronze  
finish steel



**RM**  
powder coated  
copper



**NL**  
glossy black  
nickel finish  
steel




**NO**  
matt black nickel  
finish steel



**NB**  
matt nickel finish  
steel



**KE**  
corten effect  
steel



**CR**  
chromed  
steel

## Stainless steel

---



**IS**  
satin stainless  
steel



**IL**  
polished stainless  
steel

## Coated steel

---



**VB**  
matt white coated  
steel smooth  
finish



**VJ**  
glossy pale  
pink



**VI**  
matt petroleum  
blue

## Coated steel, embossed finish

---



**VB**  
matt white



**VL**  
matt linen



**VT**  
matt dove  
grey



**VH**  
matt caramel



**VR**  
matt bronze



**VK**  
matt mocha



**VF**  
matt graphite



**VA**  
matt anthracite  
grey



**VN**  
matt black



**VY**  
matt mustard  
yellow



**VE**  
matt terracotta



**VM**  
matt brick  
red



**VD**  
matt olive  
green



**VS**  
matt sage  
green



**VO**  
matt air-force  
blue

# Aluminium



anodised



**AL**  
polished



**AV 10 - VB**  
matt white coated,  
embossed finish



**AV 11 - VL**  
matt linen coated,  
embossed finish




**AV 15 - VT**  
matt dove grey coated,  
embossed finish



**AV 70**  
matt bronze coated,  
embossed finish



**AV 81 - VA**  
matt anthracite  
grey coated,  
embossed finish



**AV 84**  
silver coated,  
polished finish



**VI**  
matt petroleum blu



**VJ**  
shiny pale pink  
coated steel



**VQ**  
shiny aquamarine



**VU**  
matt burgundy



**VS**  
embossed sage green



**VH**  
embossed caramel



**VW**  
embossed petroleum  
green coated



**V2**  
embossed matt ochre



**V3**  
embossed matt  
carmine red



**V5**  
embossed quartz green

## Zinc and matt coated steel, embossed finish

Indoor/Outdoor



**ZB**  
white



**ZL**  
linen



**ZT**  
dove grey



**ZA**  
anthracite



**ZY**  
mustard yellow



**ZE**  
terracotta



**ZO**  
air-force blue



**ZV**  
olive green



**ZS**  
sage green



**ZH**  
caramel



**ZN**  
black



**ZK**  
mocha

## Zinc and matt coated steel, embossed finish

Indoor/Outdoor



For Summer and Leo finishes



**VB**  
white



**VT**  
dove grey



**VA**  
anthracite



**VM**  
brick red




**VV**  
willow green



**VZ**  
light blue

## Compact laminate top



**10**  
white



**82**  
light grey



**81**  
anthracite



**15**  
dove grey




**92**  
dove-grey spatula effect



**93**  
piasentina stone effect




**87**  
concrete effect



**94**  
slate effect



**90**  
stone effect




**91**  
grit effect




**570**  
dove grey oak



**571**  
beaver oak



**572**  
Carrara marble effect



**574**  
black marble effect



**575**  
black Sahara marble effect



**573**  
corten effect



**95 FENIX**  
black FENIX opaque surface, anti-fingerprint and soft touch

## Compact laminate Full Colour top



**23**  
ocher



**43**  
carmine red




**49**  
quartz green



**59**  
petroleum green

## Galvanized and powder coated steel top



**ZB**  
white



**ZT**  
dove grey



**ZH**  
caramel



**ZA**  
anthracite



**ZE**  
terracotta



**ZO**  
air-force blue



**ZV**  
olive green



**ZS**  
sage green




**ZN**  
black

## Concrete Grit top


---



**C10**  
white



**C15**  
dove grey




**C56**  
olive green



**C75**  
mocha

## Marble top

---



**451**  
Calacatta



**452**  
Sahara Noir

## Black cork for Dress\_Code top

---



**SN**  
black

## V4 Velvet

Water repellent



V4 45



V4 40



V4 44



V4 46




V4 39



V4 38



V4 47



V4 50



V4 48



V4 49

## V3 Velvet

Fire retardant



**I** 1IM - UNI 9175

**F** NF - P 92 503 - M1

**I** Classe 1 - UNI 9177

**D** DIN 4102 - B1

**EN** EN 1021:14 Part.1/2

**USA** California TB 117:2013

**GB** BS 5852:06 crib 5

**EN** IMO MED - Ftp 307 Part.8



V3 60



V3 59




V3 62



V3 58




V3 57



V3 64



V3 63



V3 66

## EP Simil-leather

Fire retardant



**I** Classe 1.IM (UNI 9175)

**EN** EN 1021/1

**EN** EN 1021/2




EP 74




EP E0




EP 70




EP 68



EP 73



EP 69



EP 71



EP 75




EP 72



EP E1

## T Fabric


Water repellent



T9 E2




T9 E3



T9 79




T9 E4




T9 E5



T9 78




T9 85




T9 E6



T9 E7




T9 80




T9 E8

## L Linen

Certified and CAM compliant



L1 D4



L1 D5



L1 D6

## TG Fabric

Fire retardant



**I** 11M - UNI 9175

**D** DIN 4102 - B1

**I** Classe 1 - UNI 9177

**USA** NFPA 260 Class 1

**EN** EN 1021 part 1/2

**USA** California TB 117:2013

**F** NF D-60 013 (AM18)


**A** ÖNORM B 3825 - normal brennbar




TG F2



TG F3




TG F4



TG F5



TG F6



TG F7

## W1 Wool Gabriel®

Fire retardant



**I** UNI 9175 Classe 1,IM


**EN** BS EN 1021 - 2 (match)

**GB** BS 5852 Part 1 0, 1

**EN** BS EN 1021 - 1 (cigarette)

**EN** IMO MSC 307(88) Annex 1 part 8

**USA** California TB 117:2013



W1 L7



W1 M3



W1 M4



W1 M5



W1 M6

## W2 Wool Gabriel®

Fire retardant



- I** UNI 9175 Classe 1.IM
- EN** BS EN 1021 - 2 (match)
- GB** BS 5852 Part 1 0, 1
- F** AM 18 - NF D 60-013- (only for fabric)
- EN** BS EN 1021 - 1 (cigarette)
- EN** IMO MSC 307(88) Annex 1 part 8
- USA** California TB 117:2013
- A** ORM A3800-B1-B3825-Q1



W2 L0



W2 L8



W2 L9



W2 M1



W2 M2

## WJ Wool

Fire retardant



- I** Class 1.IM using a standard FR polyurethane foam 55,1 lb/cu.m density
- EN** EN 1021 Part 1-2 using a CM Foam 66,1-72,7 lb/cu.m.
- USA** Calif.Bull.117 June 2013



Fabric made up of 50% recycled fibers.



WJ F8



WJ F9



WJ G0



WJ G1

## K Fabric camira

Fire retardant



- I** UNI 9175 Classe 1.IM
- GB** BS 7176 Medium Hazard
- EN** 1021 - 1 (cigarette)
- F** NF D 60 - 013
- EN** 1021 - 2 (match)
- A** ÖNORM B 3825 & A 3800-1 (127,9 lb/ft<sup>3</sup> CMHR Foam)
- GB** BS 7176 Low Hazard
- GB** BS 5867 - 2:Type B Curtains & Drapes
- GB** BS 5852 Ignition Source 5



K1 90



K1 99



K1 00



K1 F1

## T4 Fabric


### Fire retardant




- I** Classe 1
- D** B1 DIN 4102
- F** M1
- GB** BS 5852 Crib 5 using a CM Foam 77,2 Lb/cu.m.

- A** Q1 (OENORM 3800 Part 1)
- A** B1 (OENORM B3825)
- EN** EN 1021 Part. 1-2 using a CM Foam 77,2 Lb/cu.m.
- EN** EN 13773 Burning Behaviour: class 1

- EN** EN 13501 - 1esp. 1,2 : B-s1, d0
- USA** Calif. Bull. 117 June 2013
- EN** EN ISO 6940/6941
- CH** Fire Protection Classification: 5.3



T4 51




T4 A3




T4 A4



T4 A5



T4 D9



T4 56



T4 55

## V5 Chenille

### Water repellent



V5 D7



V5 D8



V5 A7



V5 A6



V5 A8



V5 A9



V5 B0

## M Fabric


### Fire retardant



- USA** Cal. Tech. Bulletin 117, Section E, Part. 1 (CALIFORNIA TEST)



M1 18



M1 17



M1 05



M1 16



M1 20

**T****Fabric****T5 26****T5 27****T****Fabric**

Water repellent

**M2 09****T****Fabric**

Fire retardant



UNI 9175 (CL 1.IM)  
 UNI 8456 (CL 1)  
 UNI EN 1021 1-2  
 BS5852 1-2

- I** Classe 1
- USA** Calif. Bull. 117 June 2013
- GB** BS 5852 Crib N.5 using a CM Foam 77,2 lb/cu.m.
- EN** EN 1021 Part. 1-2 using a CM Foam 77,2 Lb/cu.m. Oeko-Tex Standard 100

**T6 28****T3 25****COM****Customer Own Material**

Minimum 20 pcs. Fabric to be approved

**Fabric**

Fire retardant



for Igloo Chair cushions (Art. 1500) and for Miss B fixed cushions

- I** Classe 1
- USA** Calif. Bull. 117 June 2013
- GB** BS 5852 Crib N.5 using a CM Foam 77,2 Lb/cu.m.
- EN** EN 1021 Part. 1-2 using a CM Foam 77,2 Lb/cu.m. Oeko - Tex Standard 100

**25****Panama cotton**

for Igloo Chair cushions (Art. 1500)

**21**

# OUTDOOR FABRICS

## S8 Acrylic

Outdoor use / Water repellent / Stain resistant  
Mold resistant / UV resistant / Breathable / Fire retardant




Fabric with 50% recycled Sunbrella® acrylic

USA California Technical Bulletin 117-2013 Sezione 1

USA NFPA 260 Classe 1

EN NF EN 1021-1

GB BS 5852 Part 1 Source 0




S8 G6



S8 G7



S8 G8



S8 G9



S8 H0

## TD Fabric

Outdoor use / Fire retardant



GB BS 5852: 1979 source 0 (cigarette test)

EN EN 1021-1 (cigarette test)

USA CAL TB-117 & NFPA 260




Organic fabric for outdoor use,  
made of recycled polypropylene.




TD G2



TD G3



TD G4



TD G5

## TR Fabric

Outdoor use / Water repellent / Stain resistant  
Mold resistant / UV resistant / Breathable / Fire retardant



GB BS 5852: 1979 source 0 (cigarette test)

EN EN 1021-1 (cigarette test)


USA CAL TB-117

I UNI 9175 Classe 1.IM

20% Recycled PP / 80% Rigenenerated PP



TR I1



TR I2

Printed colours may be different than real ones because of printing or photographic technical reasons.

TL

Fabric

LIMONTA

INTERIORS

Outdoor use / Mold resistant / UV resistant / Antibacterial

Anallergic / Resistant to sea water and clorinathe water / Recyclable / Fire retardant



GB BS 5852 cigarette

USA California TB 117:2013



TL L2



TL L3



TL L4



TL L5



TL L6

TS

Riviera fabric

Outdoor Use



TS M7



TS M8



TS M9

AR / AO

Acrylic (agora)

Outdoor use / Water repellent / Stain resistant

Mold resistant / UV resistant / Breathable



AR I5




AO I6

A9

Acrylic (agora)

Outdoor use / Water repellent / Stain resistant

Mold resistant / UV resistant / Breathable



A9 H6



A9 H5

A7 / A8

Acrylic (agora)


Outdoor use / Water repellent / Stain resistant

Mold resistant / UV resistant / Breathable


Fabric with both recycled and virgin fibers.




A7 H1



A7 H2



A8 H4




A8 H3


**A2 / A0**

**Acrylic Dralon®** Acrisol®


Outdoor use / Water repellent / Stain resistant




**A2 H7**



**A2 H9**



**A2 I0**



**A0 H8**

**S9**

**Acrylic sunbrella®**

Outdoor use / Water repellent / Stain resistant  
Mold resistant / UV resistant / Breathable / Fire retardant




Fabric with 33% recycled Sunbrella® acrylic

**USA** California Technical Bulletin 117-2013 Sezione 1

**USA** NFPA 260 Classe 1

**EN** NF EN 1021-1

**GB** BS 5852 Part 1 Source 0



**S9 L1**



**S9 M0**

**Acrylic sunbrella®**

Outdoor use / Water repellent / Stain resistant  
Mold resistant / UV resistant / Breathable / Fire retardant




**USA** California Technical Bulletin 117-203 Sezione 1


**USA** NFPA 260 Classe 1

**EN** NF EN 1021-1

**GB** BS 5852 Part 1 Source 0




**S1 B5**




**S1 B6**




**S1 B8**




**S4 I7**



**S2 B9**




**S4 C2**



**S3 C0**



**S4 C3**



**S5 C4**




**S7 C6**



**S6 C5**

**Acrylic** **Corfi**<sup>manifattura</sup>


Outdoor use / Water repellent / Stain resistant



**A3 C7**



**A3 C8**



**A4 C9**



**A5 D0**


Printed colours may be different than real ones because of printing or photographic technical reasons.

## A6 Acrylic


Outdoor use / Water repellent / Stain resistant



A6 D1



A6 D2




A6 D3



A6 88



A6 86




A6 89

## WP Acrylic


Outdoor use / Waterproof



WP 88



WP 86



WP 89

## Acrylic Dralon®


Outdoor use / Water repellent / Stain resistant




for Si-Si, Si-Si Barcode, Si-Si Dots cushions



B1



B2



B3



B4

## Acrylic

Outdoor use / Water repellent / Stain resistant



for Summer chair and armchair cushions (Art. 1495)




10


## SYNTHETIC MATERIALS

### Synthetic Fabric SergeFerrari


Outdoor use / Breathable / Water repellent



T73  
terracotta



T75  
mud



T96  
slate

## Synthetic Fabric


Outdoor use / Breathable / Water repellent




**T10**  
white




**T15**  
dove grey



**T16**  
honey



**T60**  
blue



**T81**  
anthracite

## Nautical rope mélange

Outdoor use




for Malvasia Riviera weaving

Polyester with recyclable polypropylene core, dope-dyed, non-toxic, resistant and easy to maintain.



**N01**  
cappuccino



**N02**  
graphite



**N03**  
mustard

## Nautical rope

Outdoor use



for Lisa Filò weaving

100% recyclable polyester, dope-dyed, non-toxic, resistant and easy to maintain.



**N18**  
clay



**N12**  
sand



**N60**  
midnight



**N84**  
silver



**N81**  
anthracite



**N80**  
black



**N15**  
dove grey



**N30**  
orange



**N57**  
mint

## Extruded pvc reinforced with nylon wires

Outdoor use



for Lisa Club weaving



**P10**  
white



**P86**  
graphite



**P74**  
biscuit



**P73**  
terracotta

Please refer to each model on the price list for matching the fabrics.



The qualities of responsibility and environmental sustainability in industrial production are a green hope for the future of all of us. Contributing to the process of recycling materials and a production method that respects the environment and keeps it clean is also possible in the production and moulding of technopolymers.

All the S•CAB production is made with 100% recyclable materials as their individual components can quickly be sorted for disposal. Every plastic element has the identification mark according to ISO11469:2001, and provides easy directions for recycling.

All materials used by S•CAB for its production are of first quality.

**PLASTICS** – S•CAB uses techno-polymers with ideal characteristics to manufacture its products, polymeric materials that ensure sturdiness, stability, non-toxicity, resistance to atmospheric agents including mould, dust and smog, and resistance to UV rays. All our techno-polymers are 100% recyclable in full respect for the environment. **For cleaning** use neutral liquid soap diluted in water. Clean with a soft damp cloth to avoid scratches, by all means refrain from using abrasive sponges. Do not use abrasive or chlorine-based products, or solvents in general such as alcohol, benzene, acetone, trichloroethylene, ammonia etc., because these substances tarnish plastic surfaces.

**METALS | STEEL** – Only the highest quality steels are used and a strict control on mechanical resistance values is applied throughout the whole manufacturing process.

**METALS | ALUMINIUM** –Aluminium is a metal that combines lightness and great strength, and its surface is anodised or polyester powder coated to ensure superior resistance to corrosion. **For cleaning.** Use only a soft damp cloth to clean steel, aluminium or coated metal surfaces. Do not use abrasive creams or pastes to clean metals and do not use solvents. We recommend that by all means you refrain from using abrasive sponges or steel wool to clean the surfaces.

**WOOD** –S•CAB furniture items with wooden shell and/or Frame are manufactured in compliance with European standards, with full respect for the environment. **For cleaning** use only a soft suiting damp cloth and warm water and dry immediately with a soft, dry suiting.

Do not use abrasive or aggressive products, chlorine based products and solvents in general. (ammonia, bleach or cleaning products containing acid). Immediately mop up any spilt liquids with a clean dry cloth, wood does not stand the humidity.

Do not expose to direct sunlight. Do not expose to sources of heat.

Wood is a natural material and shall be subject to change color when exposed to sunlight. Wood is a natural raw material; this means that you cannot guarantee the homogeneity and uniformity of synthetic materials. Even elements made from the same plant may show colour differences. Colour variations or imperfections, due to the fibres or veins of wood, are a guarantee of the quality of solid wood and constitute its uniqueness. The colours of our woods are water-based, to respect the environment and health.

**FABRICS** – **For instructions** on how to clean fabrics, please refer to the specific data sheet. For everyday cleaning do not brush, but vacuum clean regularly, avoiding applying pressure to the fabric. For light stains, use a soft damp brush, using if necessary mild detergents or white vinegar diluted in a lot of water. **Do not use abrasive products or detergents or solvents. Do not use high pressure steam washers.**

**SIMIL-LEATHER** – **For cleaning.** For everyday cleaning, use a soft, damp cloth. For more stubborn dirt, use a soft sponge with water and soap. Do not use abrasive products or detergents or solvents for cleaning. Immediately mop up any spilt liquids with a clean dry cloth.

Some dyes for clothing and accessories (e.g., jeans) may migrate to the light colours of this item.

This phenomenon increases with humidity and temperature. We take no responsibility for colour transfer caused by external contaminants.

**LEATHER** – S•CAB uses only natural vegetable tanned leather for its upholstered seats. For everyday cleaning, use a soft dry cloth. For more stubborn dirt, use a soft damp cloth. Do not use abrasive products or detergents or solvents for cleaning.

**OUTDOOR RUG** –Rug hand-woven on manual looms using synthetic fibre yarn. Normal cleaning: vacuum cleaner without brushes. Deeper cleaning: solution of cold water and mild soap. No abrasive brushes, bleaching agents or solvents. No professional dry cleaning. No high pressure washer. In case of stains: pat the area with a clean cloth. Lay flat to dry.

**OUTDOOR CUSHIONS, MAINTENANCE AND CLEANING** – We recommend always following the instructions on the technical data sheets of the individual fabric and on any labels attached. We suggest regularly cleaning the fabrics to maintain their appearance and prolong their life. We recommend gentle daily cleaning with a vacuum cleaner to remove dust. Dry liquids as soon as possible with a white absorbent cloth. For light stains it is important to act quickly using a soft damp brush or a white cloth, using delicate detergents if needed. Before use, always evaluate the effectiveness of detergents on small, hidden parts. Do not use abrasive products, concentrates, solvents, or bleaches. The above advice does not guarantee complete removal of stains. The acrylic fabric cushions are suitable for outdoor use. During use, we still recommend protecting the cushions from bad weather with the appropriate protective sheets and avoiding prolonged exposure to the elements. Before storing the product for the season, make sure it is clean and dry and stored in a dry, ventilated place to prevent condensation. All fabrics may experience natural color changes following exposure to the sun and/or prolonged use; this is normal and is not considered a defect. All fabrics may have slight natural color differences from the sample, these are normal and are not considered defects.

**CORK** – Cork is a 100% eco-friendly, natural, and recycled material; it is soft, elastic, insulating, with fire retardant properties, and can be used both outside (using the same precautions and the same maintenance as wooden products) and inside. The material is a wooden essence and lightens in the sun, as its natural feature. **For cleaning**, use a damp, non-abrasive cloth. Do not use aggressive products because the material absorbs and it could damage it.

**TOPS IN COMPACT HPL LAMINATE** – Compact HPL laminates are panels made up of several layers of cellulose fibre material, impregnated with thermosetting resins. They have excellent mechanical, physical, hygiene, and resistance qualities.

**For cleaning**, use a neutral liquid soap diluted in water. Clean with a soft, damp cloth to avoid scratches. Always finish by rinsing with lukewarm water and dry with a soft, clean cloth to avoid lime deposits. Do not leave the tops wet for long and dry any spilled liquids. Do not use abrasive or aggressive products, or abrasive sponges or brushes.

For more information on Fenix tops:

[https://www.fenixforinteriors.com/it-IT/pulizia/pulizia-quotidiana?utm\\_source=GAds&utm\\_medium=paid&utm\\_campaign=FENIX\\_Cleaning\\_2023&gclid=Cj0KCQiApOyqBhDIARIsAGfnyMpXhnYAKDDWo-ljE3whz4O9hVXagW6LHnA4pcLdSdjCAg6aM7\\_\\_dgEaAuy0EALw\\_wcB](https://www.fenixforinteriors.com/it-IT/pulizia/pulizia-quotidiana?utm_source=GAds&utm_medium=paid&utm_campaign=FENIX_Cleaning_2023&gclid=Cj0KCQiApOyqBhDIARIsAGfnyMpXhnYAKDDWo-ljE3whz4O9hVXagW6LHnA4pcLdSdjCAg6aM7__dgEaAuy0EALw_wcB)

**LAMINATED WOOD TOPS MAINTENANCE AND CLEANING** – For cleaning use a liquid neutral soap diluted in water. Clean with a soft damp cloth to prevent scratches. Do not use abrasive or aggressive products (ammonia, bleach or cleaning products containing acid).

**DRY THE TABLE TOP AFTER CLEANING OR IN CASE OF DROPPING LIQUIDS. THE LAMINATED WOOD TOP DOES NOT STAND THE HUMIDITY.**