

Finishes & Collections updates

Indoor / Outdoor

POTOCCO ITALY

Prodotti fuori collezione/ Products out of collection

INDOOR

ELODIE INDOOR

- 908/PL
- 908/D

FAST

- 946/P

GAMBIT TAPPETI/RUG

- 970/R1 300×400 butter – grey
- 970/R2 230×300 butter
- 970/R2 300×400 butter
- 970/R3 230×300 cola rust
- 970/R3 300×400 cola rust

JOLLY

- 751/ AI-GAS
- 751/AII-GAS

LITTLE T INDOOR

- 878/TQ-100

OPUS

- 893/T
- 983/TC
- 893/TQ
- 893/TR

TERRAZZO

- 898/SCR

TORSO

- 837/TR

TRAY

- 872/TR
- 872/TC – 872/TQ H 35 cm

VELIS

- 942/DB

OUTDOOR

LITTLE T OUTDOOR

- 878/TQ-100

TIBES

- 945

- 945/L

- 945/S

- 945/A

Prodotti fino ad esaurimento scorte/ Products available while supplies last

AURA

- 830/TC1 tavolo/table

DIVA

- 775/TC1 – 775/TO2 tavolo/table

GAMBIT TAPPETI/RUG

- 970/R1 230×300 butter – grey
- 970/R2 230×300 grey
- 970/R2 300×400 grey

KEEL

- Keel sedia 922 bianco Perla/ Pearl white
- Keel poltroncina 922/P bianco Perla/ Pearl white
- Keel lounge 922/L bianco Perla/ Pearl white
- Keel sgabelli 922/A bianco Perla/ Pearl white
- Keel sgabelli 922/S bianco Perla/ Pearl white

PIPE

- 885/TC tavolo/table

SCHEGGIA

- 906/PLI lounge

SPRING

- 841/D divano/sofa

TRACK

- 919/L lounge

VELIS

- 942/PLB lounge

Finiture fuori collezione relative a specifici prodotti / Out of collection finishes related to specific products

ANFORA 897/T

- base in marmo Bianco Carrara/ White Carrara Marble base

BON BON 770/TB – 770/TC – 770/TO – 770/TG-O – 770/TG-R

- base in corten trattato a cera/ corten wax treated base

BON BON 770/TO

- tutti i piani in marmo/marble tops

ELODIE OUTDOOR

- finitura metallo verniciato bianco goffrato/ white embossed lacquered metal

HISHI INDOOR & OUTDOOR

- finitura sabbia per la base in ceramica/ sand ceramic base

KEEL LIGHT INDOOR & OUTDOOR

- bianco Perla/ Pearl white

LYZ

- essenza massello di noce canaletto/canaletto walnut frame

Indoor

FAGGIO / BEECH



BV
Beige \ Beige

UD
Biscotto \ Biscuit

TM
Moka \ Moka

TZ
Grigio plumbeo \
Dark grey

TT
Wengé \ Wengé

15
Carbone \ Carbon

FRASSINO / ASH



HG
Naturale puro \
Pure natural

SG
Beige \ Beige

SC
Biscotto \ Biscuit

HJ
Moka \ Moka


HK
Grigio plumbeo \
Dark grey

HL
Wengé \ Wengé

HP
Carbone \ Carbon

SN
Noce \ Walnut

FRASSINO TINTO COLORI SPECIALI / ASH WOOD STAINED SPECIAL COLORS



HD
White

HE
Cherry

HF
Olive green

HC
Blquette

ROVERE / OAK



UH
Beige \ Beige

UC
Biscotto \ Biscuit

TD
Moka \ Moka

TA
Grigio plumbeo \
Dark grey

TY
Wengé \ Wengé

RQ
Carbone \ Carbon

LACCATI OPACHI / MATT LACQUERED




13
Bianco \ White

HB
Rubino \ Ruby red

08
Nero \ Black


ESSENZE SPECIALI / SPECIAL ESSENCE



ES
Noce Canaletto \
Canaletto walnut




Paglia di Vienna \
Vienna straw



Canna naturale \
Natural cane


METALLI VERNICIATI / LACQUERED METALS




Bianco goffrato \
White embossed




Bianco perla goffrato \
Pearl white embossed



Antracite goffrato \
Anthracite embossed



Aval goffrato \
Aval embossed



Nero goffrato \
Black embossed



Oro \
Gold

METALLI VERNICIATI / LACQUERED METALS (952/TVHC-52, 952/TVMC-70, 952/TVBC-110)




RAL 1005



RAL 4002




RAL 5010



RAL 9002


METALLI SPECIALI / SPECIAL METALS



Ottone brunito \
Bronzed brass



Corten \ Corten



Oro satinato \
Satin gold

METALLI CROMATI / CHROME METALS



Cromato \
Chrome



Cromo nero \
Black chrome

INOX / INOX




Satinato \ Satin

QUARZO RESINATO / RESINATED QUARTZ




Antracite \ Anthracite Light Grey \ Light Grey

GRÈS PORCELLANATO / LAMINATED PORCELAIN




Ossido nero \
Black oxide

HPL / HPL



Antracite \ Anthracite

CERAMICA / CERAMIC



Rosa quarzo \

Quartz pink

Grigio sabbia \

Sand grey

Pesca \ Peach

Cioccolato \

Chocolate

Nero \ Black

CORDE / ROPES



A6C

Cuoio \ Hide leather

F7E - F8F

Gassa testa di moro \

Gassa dark brown


CORDA NAUTICA / NAUTICAL ROPE



F7F

Canapa \ Hemp

MARMI / MARBLES



Bianco Carrara lucido \

Glossy White Carrara

Bianco Carrara opaco \

Matt White Carrara

Fior Di Pesco Camico \

Fior Di Pesco Camico

Travertino Romano \

Travertino Romano

Dark Emperador \

Dark Emperador

Grigio Carnico \

Grigio Carnico

Nero Marquinia \

Nero Marquinia

Verde Alpi \

Verde Alpi

VETRO TEMPERATO / TEMPERED GLASS



Float trasparente \\
Transparent float

Bronzato \\
Bronzed

Retro verniciato nero \\
Black back-painted

VETRO / GLASS (952/TVHC-52, 952/TVMC-70, 952/TVBC-110)



Extra light \\
Extra light

Bronzato \\
Bronzed

Fumé \\
Smoked

VETRO COLORATO / COLOURED GLASS (952/TVHC-52, 952/TVMC-70, 952/TVBC-110)



Honey \\
Honey

Cherry \\
Cherry

Blueberry \\
Blueberry

VETRO SPECCHIATO / MIRRORED GLASS (962/MB1, 962/MB2)



Bronzato \\
Bronzed


VETRO FUSO SMALTATO / FUSED GLAZED GLASS (953/TBO, 953/TBT)



Terracotta \\
Terracotta

Arancio \\
Orange

AIDA (CAT. 1) - 68% PL, 32% PP



A2D Bianco A2E Beige A2F Sabbia A2G Pepe A2H Grigio A2I Antracite



A2J Tronco A2K Rubino A2L Petrolio

Martindale : >135.000 cicli/rubs

Light fastness : >6

Fire tests : IIM-UNI 9175 / Classe 1-UNI 9177 / EN 1021 Part 1/2 /

DIN 4102-B1 / NFPA 260 Class 1 / NF D-60 013-A18 / CAL TB 117:2013 /


IMO MED-FTP 307 Part 8 / Önorm B 3825

Main characteristics : IMO-MED / Sound absorbent

Technical features :

Care :

ARTE (CAT. 1) - 68% PC, 16% PL, 16% CO



A1D Bianco A1J Beige A1E Rosa A1F Grigio chiaro A1H Pepe A1G Verde mattone A1L Blu arancio A1K Blu oltremare


Martindale : 35.000 cicli/rubs

Light fastness : 5

Fire tests : CAL TB 117:2013 / BS 5852 Cigarette / BS 5852 Match / EN 1021 Part 1/2

Technical features :


Care :



A1T Tortora

Indoor finishes

ALBA (CAT. 1) – 45% PC, 33% PL, 22% WO



D6B
Burro


D6C
Beige

D6D
Tortora

D6E
Tronco

D6F
Tabacco

D6G
Rubino



D6H
Blue

D6I
Petrolio

D6J
Light grey

D6K
Argento

D6L
Antracite

D6M
Nero

Martindale : 40.000 cicli/rubs


Light fastness : 5

Fire tests : CAL TB 117:2013 / BS 5852 Cigarette


Technical features :

Care :

BESS (CAT. 2) - 78% PES, 22% PES REC



D1G Beige chiaro D1H Lime D1I Cammello D1U Rosa D1J Terracotta D1K Senape D1L Mattone



D1M Bosco D1N Salvia D1P Lilla D1Q Antracite D1R Celeste D1S Fango D1T Grigio chiaro

Martindale : 50.000 cicli/rubs


Light fastness : 5/6

Fire tests : CAL TB 117:2013 / BS 5852 Cigarette / EN 1021 Part 1 / NFPA 260

Technical features :

Care :

BETTY (CAT. 2) - 33% PL, 25% PC, 23% VI, 10% CO, 9% LI



A9K Bianco A9L Beige A9M Grigio chiaro A9N Nocciola A9P Antracite A9Q Nero

Martindale : 50.000 cicli/rubs

Light fastness : 5/6

Fire tests : CAL TB 117:2013 / BS 5852 Cigarette

Technical features :

Care :

Indoor finishes

BALDO (CAT. 2) - 34% VI, 31% CO, 15% LI, 13% PC, 7% PL



Martindale : 25.000 cicli/rubs


Light fastness : 5/6

Fire tests : CAL TB 117:2013 / BS 5852 Cigarette

Technical features : 

Care :     

BLISS (CAT. 2) - 67% VI, 33% LI




Martindale : > 20.000 cicli/rubs

Light fastness : 4/5

Care :     

BRERA (CAT. 2) - 100% CO



Martindale : 40.000 cicli/rubs



Light fastness : 4/5

Fire tests : CAL TB 117:2013 / BS 5852 Cigarette / BS 5852 Match

Technical features :

Care :

BRIDGE (CAT. 2) - 100% TREVIRA® CS



Martindale : 100.000 cicli/rubs

Light fastness : ≥ 5

Fire tests : CAL TB 117:2013 / UNI 8456 - 9174 classe 1 / UNI 9175 Classe IIM /

EN 1021 Part 1/2 / BS 5852 CRIB 5 / DIN 4102 - B1 / IMO FTP CODE 2010

NF P 92 503-507 M1 / UNI EN 13773:2004 classe 1 / NFPA 701:2015


Main characteristics : Sound absorbent

Technical features :

Care :

Indoor finishes

CALLA (CAT. 3) - 5% CO, 25% VI, 13% LI, 15% WO, 25% PL, 15% PC, 2% PA



A8L Panna A8M Sabbia A8N Smeraldo A8P Celeste A8Q Pepe A8R Rubino

Martindale : 45.000 cicli/rubs

Light fastness : 4/5

Fire tests : CAL TB 117:2013 / BS 5852 Cigarette / BS 5852 Match


Technical features : 

Care :    

CELIA (CAT. 3) - 68% PL FLAME RETARDANT, 32% PL FR



D7A Avorio D7B Nude D7C Argilla D7D Testa di moro D7E Arancio D7F Ruggine D7G Fragola D7H Prugna



D7I Oro D7J Salvia D7K Bosco D7L Ottanio D7M Bluette D7N Grigio D7P Nero

Martindale : 48.000 cicli/rubs

Fire tests : CAL TB 117:2013 / B1 DIN 4102, Part 1 / BS 5852 Cigarette /

BS 7176 / M1 NFP902-503-504-505 / IMO 8 Upholstery


Sustainability: Yarns certified Oeko-tex / Greenguard gold certification

Main characteristics: Stain repellent finish


Technical features : 

Care :   


CIELO (CAT. 3) - 47% CO, 18% LI, 35% VI




A6H
Panna




A6K
Sabbia



A6I
Blu oltremare



A6L
Mattone



A6J
Tronco

Martindale : 50.000 cicli/rubs

Light fastness : 4/5

Fire tests : BS 5852 Cigarette / BS 5852 Match / CAL TB 117:2013


Technical features :

Care :


CORE (CAT. 3) - 59% PL, 25% PC, 16% CO




E1T
Ghiaccio




E1W
Paglia




E1Y
Senape




E1Z
Marrone chiaro



E1V
Talpa



E1X
Testa di moro




E1U
Fieno

Martindale : 30.000 cicli/rubs

Light fastness : 5

Care :

CORTINA (CAT. 3) - 100% PES FR



A9E Beige A9F Grigio A9D Avio A9B Salvia A9A Bosco A9C Blu oltremare



A9H Senape A9J Mattone A9I Terracotta A9G Antracite A9R Sabbia A9S Limone

Martindale : 50.000 cicli/rubs

Light fastness : 6/7

Fire tests: BS 5852 Cigarette / BS 5852 Match / EN 1021 Part 1/2 /

BS 7176 Low hazard / CAL TB117:2013 / NFPA 260 /

IMO Annex 1 Part 8 / UNI 9175 IIM / NFD 60 013 /

DIN 4102 B2

Sustainability: Standard 100 by Oeko-tex


Main characteristics: Reach approved chemicals and dyes / Biocide and PFCs free /

Zero-waste production / Acoustic certificate: EN ISO 354

Technical features :

Care :

CROSS (CAT. 3) - 48% PL, 21% PC, 15% CO, 11% VI, 5% LI



A2M
Avorio

A2N
Perla

A2P
Grigio chiaro

A2Q
Antracite

A2R
Blue

A2S
Ocra



A2T
Salvia

A2U
Light blue

A2V
Rosa

Martindale : 50.000 cicli/rubs


Light fastness : 5/6

Fire tests : BS 5852 Cigarette / CAL TB 117:2013

Technical features :

Care :

DAFNE (CAT. 4) - 100% TREVIRA® CS



B2A
Bianco

B2B
Panna

B2C
Sabbia

B2F
Grigio

B2G
Antracite

B2D
Mattone

B2H
Rubino

B2E
Blu oltremare

Martindale : 170.000 cicli/rubs

Light fastness : 5

Fire tests : Classe 1-IM / BS 5852 Cigarette / BS 5852 Match / CAL TB 117:2013 /

UNI 9177 - Classe 1 / EN 1021 Part 1/2 / DIN 4102 B1 /


IMO MSC 307(88) Annex 1 Part 7-8 / NF P 92-503-507 M1

Technical features :

Care :

Indoor finishes

DALÍ (CAT. 4) - 95% WV, 5% PA



C6U

Bianco

C6V

Sabbia

C6K

Grigio

C6Q


Fango

C6M

Pepe

C6L

Antracite



C6I

Grigio chiaro

C6N

Salvia

C6H

Senape

C6T

Arancione

C6P

Rubino

C6S

Blue navy

Martindale : 100.000 cicli/rubs

Light fastness : ≥ 5

Fire tests: CAL TB 117:2013 / EN 1021 Part 1/2 / UNI 9175 IIM / ÖNORM B1-Q1 /

IMO 2014-90-EU Marine Equipment Directive (MED)

Main characteristics: Sound absorbent / Natural, renewable material /


RAL-UZ 117 Attachment 2+3 / IWTO Guidelines for Wool Sheep Welfare /

FR-free / AB 2998 (US export standard) / REACH (EU export standard) / Naturally stain resistant

Technical features :

Care :

DELTA (CAT. 4) - 50% CO, 33% VI, 17% LI



B1C

Panna melange

B1D

Tronco melange

B1E

Antracite melange

B1F

Blu mattone

Martindale : 35.000 cicli/rubs


Light fastness : 4/5

Fire tests: BS 5852 Cigarette / BS 5852 Match / CAL TB 117:2013

Technical features :

Care :

DOLINO (CAT. 4) - 100% LI



C8D

Sabbia

C8F

Antracite

C9U

Tortora

C8K


Grigio

C9M

Arancione

C9G

Rosso



C8M

Senape

C8P

Verde oliva

S2C

Celeste

C8S

Denim

C9V

Grigio scuro

C8Y


Blu scuro

Martindale : > 25.000 cicli/rubs

Light fastness : 4/5

Care :

DUNA (CAT. 4) - 32% PC, 19% CO, 17% VI, 8% LI, 7% ALPACA, 7% WV, 6% PL, 3% PA, 1%EA



S6B

Panna

S6C

Tortora

S6D

Bordeaux

S6E

Senape

S6F


Pavone

S6G

Bluette

S6A

Pervinca



S6H

Bosco

S6I

Grigio

Martindale : 50.000 cicli/rubs

Light fastness : 5


Fire tests: BS 5852 Cigarette / BS 5852 Match / CAL TB117:2013

Technical features :

Care :


Indoor finishes

DORO (CAT. 4) - 100% CO



Martindale : 100.000 cicli/rubs

DEDALO (CAT. 4) - 95% WV, 5% PA



Martindale : 70.000 cicli/rubs

Light fastness : ≥ 5

Fire tests: BS 5852 Part 1: 1979 / EN 1021 Part 1-2 / CAL TB117:2013 / UNI 9175 IIM / ÖNORM B1-Q1 /

IMO 2014-90-EU Marine Equipment Directive (MED)

Main characteristics: Sound absorbent / Natural, renewable raw material /


RAL DE-UZ 117 Art. 3b for "Blue Angel" without flame retardant /

IWTO Guidelines for Wool Sheep Welfare / AB 2998 (US export standard) / REACH (EU export standard)

Technical features :

Care :

DOLLY - 33% VI, 29% PC, 15% WO, 8% CO, 7% PL, 6% LI, 1% PA, 1%EA




Martindale : 60.000 cicli/rubs


Fire tests: BS 5852 Cigarette / BS 5852 Match / EN 1021 Part 1/2 / CAL TB117:2013

Technical features :


Care :



FLAMINGO B (CAT. 2) - 10% CO, 20% PES, 1% PU, 69% PVC



Q1D Beige Q1C Ecreu Q1F Nocciola Q1A Tortora scuro Q1E Grigio scuro Q1G Mogano



Q1I Blu notte Q1H Bordeaux Q1B Nero

Martindale : 100.000 cicli/rubs

Light fastness : 7


Fire tests: UNI 9175 IIM / IMO MED / IMO-FTP / CAL TB 117:2013 / EN 1021 Part 1/2

Main characteristics: Phtalate free / Antibacterial

Technical features :

Care :

FALABELLA (CAT. 3) - 63% PU, 29% CO, 8% PES



KN Panna KP Beige PM Tortora chiaro PF Grigio chiaro PG Antracite YA Verde oliva KV Bronzo KU Marrone testa di moro

Martindale : 150.000 cicli/rubs

Light fastness : 5/6

Fire tests: UNI 9175 IIM / EN 1021 Part 1/2 / BS 5852 CRIB 5 / BS 5852 Cigarette /

BS 5852 Match / IMO FTP CODE 2010 / CAL TB 117:2013 / ONORM B 3825


Main characteristics: Waterproof / Resistance to mould and bacteria / Phthalates free

Technical features :

Care :

Indoor finishes

FEYA (CAT. 3) - FINTA PELLE / FAUX LEATHER - 54% PU, 28% PES, 12% VI, 6% SIL



N4A Panna N4B Beige N4C Terracotta N4D Ecrù N4E Tortora N4F Tronco N4G Bordeaux



N4H Salvia N4I Cielo N4J Antracite N4K Nero

Martindale : 100.000 cicli/rubs

Light fastness : 7

Fire tests: EN 1021 Part 1 / CAL TB 117:2013 / ASTM E84 Class B Adhered /
AS-NZS 3837 class 2 / ASTM E84 Class B Unadhered

Sustainability: Greenguard Certification


Technical features :

Care :


GEO (CAT. A) - PELLE / LEATHER



P2A Panna P1B Grano P1D Beige scuro P1K Nocciola P2C Ruggine P2D Tortora P1M Tronco



P1T Terracotta P1V Rosso P1W Bordeaux P1N Noce P2N Melanzana P2G Grigio scuro P2H Marrone scuro



P2Q Celeste P2S Blu cadetto P2T Blu prussia P3B Verde chiaro P3C Verde P2F Nero

Raw hide: Bovino europeo \ European bovine

Surface: Fiore corretto \ Corrected grain













Thickness: 0,9 - 1,1 mm

Light fastness: ≥ 5

Fire tests: EN 1021 Part 1/2 / BS 5852 Cigarette / BS 5852 Match /
IMO MED MSC.307 / CAL TB 117:2013

Technical features :

GALEA (CAT. B) - PELLE / LEATHER

						
C4I Bianco	C4Q Beige	C4T Tortora chiaro	C4U Tortora	C4P Zucca	C4H Rosso scuro	C4V Dattero
						
C4J Grigio chiaro	C4R Grigio	C4N Verde mimetico	C4W Verde muschio	C4S Marmotta	C4K Castagna	C4L Marrone scuro
						
C4G Bluette	C4M Blu	C4F Nero				

Raw hide: Bovino europeo \ European bovine

Surface: Fiore corretto \ Corrected grain

Thickness: 1,0 - 1,2 mm

Light fastness: ≥ 5


Fire tests: EN 1021 Part 1/2 / BS 5852 Cigarette / BS 5852 Match /

IMOMED MSC.307 / CAL TB 117:2013

Technical features : 

Indoor finishes

NINA (CAT. B) - PELLE / LEATHER




<u>KK</u>	<u>XZ</u>	<u>KL</u>	<u>KJ</u>
Naturale	Nocciola	Marrone	Nero

Raw hide: Bovino europeo \ European bovine

Surface: Pieno fiore \ Full grain

Thickness: 0,9 - 1,0 mm

NABUK (CAT. C) - PELLE / LEATHER



<u>E2T</u>	<u>E2U</u>	<u>E2R</u>	<u>E2Q</u>	<u>E2S</u>	<u>E2V</u>
Tortora	Marmotta	Avena	Nocciola	Wengé	Blu

Raw hide: Bovino europeo \ European bovine

Surface: Nabuk idrorepellente \ Water-repellent Nabuk

Thickness: 1,1 - 1,3 mm

Light fastness: ≥ 3

Fire tests: EN 1021 Part 1/2 / BS 5852 Cigarette / BS 5852 Match /
IMO MED MSC.307 / CAL TB 117:2013

Technical features:

NATURE (CAT. C) - PELLE / LEATHER



<u>C9Y</u>	<u>C9Z</u>	<u>C9X</u>
Marrone	Testa di moro	Antracite

Raw hide: Bovino europeo \ European bovine

Surface: Anilina pieno fiore \ Aniline full grain

Thickness: 1,0 - 1,2 mm


Light fastness: ≥ 2/3

Fire tests: EN 1021 Part 1/2 / BS 5852 Cigarette / BS 5852 Match /


CAL TB 117:2013 / NFPA 260/UFAC

Technical features :

CUOIETTO / HIDE LEATHER



<u>K1F</u>	<u>K1B</u>	<u>K1C</u>	<u>BL</u>	<u>1S</u>
Sabbia	Fango	Terracotta	Burgan	Grigio



<u>IZ</u>	<u>K1D</u>	<u>BM</u>
Cognac	Marrone scuro	Nero


Raw hide: Bovino europeo \ European bovine

Surface: Fiore liscio \ Smooth grain


Thickness: 1,8 mm

Outdoor

ESSENZE SPECIALI / SPECIAL ESSENCES ☁



SU
Frassino waterproof \
Waterproof ash




EU
Iroko \ Iroko



Teak \ Teak


METALLI VERNICIATI / LACQUERED METALS ☁




Bianco goffrato \
White embossed




Bianco perla goffrato \
Pearl white embossed



Antracite goffrato \
Anthracite embossed



Aval goffrato \
Aval embossed




Nero goffrato \
Black embossed




RAL 9002

INOX / INOX ☁ ⚓



Lucido AISI 316 \
AISI 316 polish

GRÈS PORCELLANATO / LAMINATED PORCELAIN ☁




Ossido nero \
Black oxide

HPL / HPL ☁



Bianco \ White



Antracite \ Anthracite

CERAMICA / CERAMIC ☁



Rosa quarzo \
Quartz pink

Grigio sabbia \
Sand grey

Pesca \ Peach

Cioccolato \
Chocolate

Nero \ Black

VETRO TEMPERATO / TEMPERED GLASS ☁



Bronzato \ Bronzed

VETRO / GLASS (952/TVHC-52-OUT, 952/TVMC-70-OUT, 952/TVBC-110-OUT)



Extra light \
Extra light

Bronzato \ Bronzed

Fumé \
Smoked


VETRO FUSO SMALTATO / FUSED GLAZED GLASS (951/T)



Terracotta \ Terracotta

Arancio \ Orange

PIETRE / STONES ☁



Pietra naturale light grey \
Light grey natural stone



Adatto per uso esterno \ Suitable for outdoor use



Adatto per uso esterno in ambiente salino \ Suitable for outdoor use in salty environments



Articolo ignifugo \ Flame retardant

CORDINI / ROPES ☁



K1
Sintetico mokka
Moka syntetic

CORDINI / ROPES ☁ ⚓



<u>J7</u>	<u>G2</u>	<u>B1A</u>	<u>F7E - F8F</u>
PVC bianco \	PVC antracite \	Gassa beige \	Gassa testa di moro \
PVC white	PVC anthracite	Gassa beige	Gassa dark brown

CORDA NAUTICA / NAUTICAL ROPE ☁ ⚓



<u>F7F - F9B</u>	<u>D4B</u>	<u>D5B</u>
Canapa \ Hemp	Antracite \	Blu navy \
	Anthracite	Blue navy

FETTUCCIA / RIBBON ☁ ⚓




<u>S4E</u>	<u>A7A</u>
Fly grigio \	Gassa beige \
Fly grey	Gassa beige

TRECCIA IMBOTTITA / PADDED BRAID ☁ ⚓



S2F
Antracite \ Anthracite

SHELL (CAT. 1) - 100% Solution Dyed Outdoor Acrylic



E1A
Bianco


E1R
Sabbia

E2D
Tronco

E2C
Mattone

E2A
Grigio

E2B
Antracite



E1L
Grigio celeste

E1G
Celeste

E2G
Verde muschio

E2H
Bosco

E2E
Prugna

E2F
Blue navy

Martindale : 30.000 cicli/rubs

Light fastness : 4/5

Fire tests : CAL TB 117:2013 / NFPA 260 / NF EN 1021-1

Sustainability : Standard 100 by Oeko-tex / Greenguard gold certification


Main characteristics : Bleach Cleanable / Breathable comfort / Mold - mildew resistant /

Water & stain resistant / Sun protection / UV - Fade resistant / Landfill free

Technical features :

Care :

SHORE (CAT. 1) - 100% Polyolefinic FR



F1C
Beige


F1D
Tortora

F1E
Grigio

F1B
Cammello

F1F
Nocciola

F1A
Terracotta



F1H
Pavone

F1G
Blue navy

Martindale : > 40.000 cicli/rubs

Light fastness : 6/7

Fire tests : UNI 8456-9174 Class 1 / EN 1021 Part 1-2 /

CAL TB 117:2013 Section 1 / IMO 2010 FTP CODE Part 8


Main characteristics : UV resistant

Technical features :

Care :

Outdoor finishes

SEAL (CAT. 2) - 100% PP



Martindale : 40.000 cicli/rubs

Light fastness : 7/8

Fire tests : BS 5852 Cigarette / CAL TB 117:2013

Sustainability : Standard 100 by Oeko-tex / Greenguard gold certification


Main characteristics : Recyclable / Antibacterial / Anallergic / Anti mould, fungus and moths /

Very easy to wash, 40C / Quick dry / Resistant to sea water and chlorine water

Technical features :

Care :

SKIPPER (CAT. 3) - 100% Solution Dyed Outdoor Acrylic



Martindale : 20.000 cicli/rubs


Light fastness : 7/8

Main characteristics : Stain repellent / Anti-mould / Teflon treatment

Technical features :

Care :

STAR (CAT. 3) - 99% Solution Dyed Outdoor Acrylic, 1% PL



B4Q

Sabbia

B4R

Grigio

B4V

Tronco

B4T

Blu oltremare

B4U

Antracite

Martindale : 30.000 cicli/rubs

Light fastness : 4/5

Fire tests : CAL TB 117:2013 / NFPA 260 / NF EN 1021-1

Sustainability : Standard 100 by Oeko-tex / Greenguard gold certification

Main characteristics : Bleach Cleanable / Breathable comfort / Mold - mildew resistant /

Water & stain resistant / Sun protection / UV / Fade resistant Landfill free


Technical features :



Care :



SAMOS (CAT. 3) - 38% PL-HUV, 57% PP, 5% PC



N3F

Panna

N3E

Beige

N3B

Grigio

N3A

Blu

N3C

Mattone

N3D

Bosco

Martindale : 20.000 cicli/rubs

Light fastness : 7

Fire tests : CAL TB 117:2013 / BS 5852-1 (1979) Cigarette / BS 5852:2006 Cigarette

Main characteristics : In compliance with the "REACH" regulation / PFOA free

Technical features :




Care :



Outdoor finishes

SANTORINI (CAT. 3) - 35% PL-HUV, 60% PP, 5% PC



S7E

Beige

S7A

Grigio

S7B

Blu

S7C

Mattone

S7D

Bosco

Martindale : 50.000 cicli/rubs

Light fastness : 7

Fire tests : CAL TB 117:2013 / BS 5852-1 (1979) Cigarette / BS 5852:2006 Cigarette

Main characteristics : In compliance with the "REACH" regulation / PFOA free

Technical features :  

Care :     

SYMI (CAT. 3) - 35% PL-HUV, 60% PP, 5% PC



P4P

Beige

P4M

Grigio

P4L

Blu

P4N

Mattone

P4K

Bosco

Martindale : 35.000 cicli/rubs

Light fastness : 7


Fire tests : CAL TB 117:2013 / BS 5852-1 (1979) Cigarette / BS 5852:2006 Cigarette

Main characteristics : In compliance with the "REACH" regulation / PFOA free

Technical features :  

Care :     

SUMMER (CAT. 4) - 100% PL Flame retardant



B6A
Bianco


B6B
Avorio

B6C
Pietra

B6N
Terra

B6D
Cipria

B6P
Alluminio



B6E
Grigio


B6F
Sale e pepe

B6G
Antracite

B6H
Ruggine

B6I
Corniola

B6Q
Terra di siena



B6M
Red-blue

B6R
Azzurro

B6S
Giada

B6K
Alga

B6T
Limone

B6U
Glicine

Martindale : 50.000 cicli/rubs

Light fastness : 7

Fire tests : NFPA 260 / CAL TB 117:2013 / B1 DIN 4102, Part 1 / BS 5852 Cigarette /

BS 5852 Match / BS 7176 / M1 NFP902-503-504-505 / IMO 8 Upholstery

Sustainability : Standard 100 by Oeko-tex / Greenguard gold certification

Main characteristics : Bleach Cleanable / Breathable comfort / Mold - mildew resistant /

Water & stain resistant / Sun protection / UV - Fade resistant / Landfill free

Technical features : 


Care :    

Outdoor finishes

SOUL (CAT. 4) - 100% Polyolefinic FR



ZX Bianco ZU Panna ZY Beige ZT Nocciola ZK Arancio T1P Grigio melange



ZV Grigio T1M Nero melange ZW Nero T1N Blu T1Q Blu melange

Martindale : 40.000 cicli/rubs

Light fastness : 6

Fire tests : UNI 8456 - 9174 - Class 1 / EN 1021-1/2 / CAL TB 117:2013 / B1 DIN 4102, Part 1 /

NFPA 260:2013 - Class 1 / IMO 2010 FTP CODE Part 8 / EN 13773 (2004) Classe 1 /

DIN EN 1021 Teil 1+2 / BS 5852 CRIB 5 / IMO Res. A652 (16)

Technical features :  

Care :     

SHIP (CAT. 4) - 57% PC, 43% PP



A2A
Bianco-beige

Martindale : 30.000 cicli/rubs


Light fastness : 7

Fire tests : CAL TB 117:2013 / BS 5852 Cigarette

Technical features :  

Care :     

SUNSET (CAT. 4) - 100% Solution Dyed Outdoor Acrylic



Martindale : 50.000 cicli/rubs

Light fastness : 7/8

Fire tests : CAL TB 117:2013 / NFPA 260-UFAC Class 1

Sustainability : Standard 100 by Oeko-tex / Greenguard gold certification

Main characteristics : Colour fast to light / In-outdoor / Mould resistant / Water repellent /

Breathable / Stain resistant / High abrasion resistant


Technical features :  

Care :      

TRECCIA IN FILATO DI POLIPROPILENE (PER I TAPPETI CLUE) ☁
BRAIDS IN POLYPROPYLENE YARN (FOR CLUE CARPETS)

MODELLO TONDO / ROUND MODEL


971/C - BEIGE



Beige

Tortora

971/C - GREEN



Verde bosco

Blu

971/C - GREY



Grigio perla

Grigio

MODELLO RETTANGOLARE / RECTANGULAR MODEL

971/R - BEIGE




Marrone

Tortora

Beige

971/R - BLUE



Grigio perla

Blu

Carta da zucchero

971/R - GREY




Grigio

Grigio perla

Grigio antracite

971/R - PETROL



Carta da zucchero

Verde bosco

Petrolio

POTOCO

Via Indipendenza 4
33044 - Manzano, Udine - Italy
T. +39 0432 745111
© 2025 Potocco Sp.A.
info@potocco.it

Potocco USA
Hickory, NC 28602
United States of America
customerservice@potocco-usa.com