Finishes

VONDOM



Colors, fabrics & finishes

4 Product Colors
8 Table Tops
10 Outdoor Upsholstery
24 Products And Finishes
36 Technical Information

Product Colors

Basic

White 2001


Gray 2005


Anthracite 2006


Black 2002

Cream


Camel 2020


Ecru 2003


Tortora 2004


Clay 2022


Garnet 2015


Brown 2008


Blue 2018


Green 2016

Ice 2101

Lacquered

White 3101


Gray 3105


Anthracite 3106


Black 3102

Cream 3117


Camel 3120


Ecru 3103


Tortora 3104


Clay 3122


Garnet 3113


Brown 3125


Blue 3118


Green 3116

Granite effect / Efecto granito


Ecru 2030


Cream 2031

Product Colors

Injection

White 4001

Ecru 4003

Tortora 4030

Black 4002

Cream 4024

Clay 4020

Jade 4028

Ocean 4029

Powder Coated Aluminium

White 5001

Gray 5005

Anthracite 5037

Black 5002

Cream 5036

Camel 5039

Ecru 5003

Tortora 5035

Clay 5041

Garnet 5031

Brown 5033

Smoked 5038

Green 5032

Ocean 5043

Blue 5030

Clear PC



Cristal 4101

Fume 4103

Zaphire 4106

Amber 4102

Opaque White PC 4105

Ash Wood



Wood 1 9001

Wood 2 9002

Teak Wood




Natural Teak 9003

Weathered Teak 9004

Table Tops

HPL Solid Core


White 7000


Ecru 7005


Tortora 7006


Smoked 7009


Cream 7007


Camel 7010



Clay 7012


Garnet 7002


Brown 7004


Green 7003


Ocean 7014


Blue 7001


Gray 7015



Anthracite 7008


Hpl Solid Core / Stone Finish



White 7101


Cream 7107


Ecru 7105


Tortora 7104


Green 7106


Gray 7102


Black 7103


HPL Solid Core / Wood Finish



Oak 1 7301


Oak 2 7302


Walnut 7303

HPL Solid Core / Black Edge


White 7201


Ecru 7202


Black 7203

Glass


Transparent 8000

White 8001


Brown 8003


Black 8002

Milos Concrete Table Top


Cream 9100


Tortora 9105

Outdoor Fabrics

Altea / Group 1A


Tortora 1102

White 1100


Ecru 1111

Cream 1103



Camel 1120


Clay 1122


Garnet 1106


Brown 1104


Jade 1125


Ocean 1123



Blue 1114


Gray 1101


Anthracite 1124


Black 1105

Arousa / Group 1B


Ecru 1221

White 1219


Tortora 1209

Cream 1220


Camel 1230


Clay 1231


Garnet 1223


Brown 1214


Jade 1235


Blue 1222


Gray 1208


Anthracite 1210

Outdoor Fabrics

Fisterra / Group 1C


Cream 10132


White 10130


Ecru 10131


Tortora 10135


Camel 10134


Mustard 10133


Peach 10146
Crevin Melon 1304


Clay 10137



Garnet 10138


Brown 10136


Olive 10145


Jade 10139


Green 10140


Ocean 10141



Blue 10142


Gray 10143


Anthracite 10144



Black 10147


Portonovo / Group 1A



Camel 10154


White 10150



Ecru 10151


Tortora 10152



Cream 10153


Mustard 10155



Clay 10156


Garnet 10157



Brown 10158


Jade 10159


Green 10160


Ocean 10161


Blue 10162


Gray 10163


Anthracite 10164


Black 10165

Outdoor Fabrics

Baiona / Group 1C


Cream 10103


White 10100


Ecru 10101


Tortora 10102


Camel 10104


Mustard 10105



Clay 10106


Garnet 10107


Brown 10108


Jade 10109


Green 10110


Ocean 10111


Blue 10112



Gray 10113


Black 10114

Calella / Group 1C


Cream 10123


White 10120


Ecru 10121


Tortora 10122


Mustard 10124


Clay 10125


Green 10126



Blue 10127



Gray 10128


Anthracite 10129

Outdoor Fabrics

Getaria / Group 2



Camel 10033


White 10041



Iceberg 10037


Cream 10047


Tortora 10048


Terra 10039


Oasis 10007



Dune 10009


Brown 10050



Aphrodite 10013


Garnet 10046


Green 10053



Emerald 10016


Niord 10015


Aquamarine 10003



Oversea 10002


Ocean 10023



Blue 10024


Gallant 10025


Pearl 10006


Moon 10040



Gray 10042


Granite 10008


Anthracite 10043


Black 10044


Zumaia / Group 2


Cream 10201


White 10200


Garnet 10202


Green 10204


Blue 10203


Black 10205

Outdoor Fabrics

Louro / Group 2



Cream 10343



Tortora 10342


Camel 10344


Peach 10355


Mustard 10345


Clay 10346


Garnet 10347



Brown 10348


Olive 10356


Jade 10349


Green 10350


Ocean 10351


Blue 10352


Gray 10353


Anthracite 10354

Ribadeo / Group 2


Ecru 10321


White 10320


Tortora 10322


Cream 10323


Camel 10324


Peach 10335


Mustard 10325


Clay 10326


Garnet 10327


Brown 10328


Mint 10337


Olive 10336


Jade 10329


Green 10330


Ocean 10331


Blue 10332


Gray 10333


Anthracite 10334

Outdoor Fabrics


Suances / Group 2


Cream 10303


White 10300


Ecru 10301


Tortora 10302


Camel 10304


Peach 10316


Mustard 10305


Clay 10306


Garnet 10307


Brown 10308


Olive 10317


Jade 10309


Green 10310


Ocean 10311


Blue 10312


Gray 10313



Anthracite 10314


Black 10315



Outdoor Fabrics

Roses / Group 3A


Tortora 10404


Cream 10400



Garnet 10402



Green 10403



Blue 10405

Llanes / Group 3A


Crema 10180


Tortora 10181


Gray 10182



Anthracite 10183


Teguise / Group 3B



Camel 10370


Ecru 10375


Clay 10371


Green 10372



Blue 10373


Gray 10374


Moraira / Group 3B


Camel 10360


Ecru 10365


Clay 10361


Green 10362


Blue 10363


Gray 10364




Products and finishes

Products and Finishes

Colores / Colors

Tejidos / Fabrics




* Agatha Collection disponible en Bicolor Lacado blanco-rojo y blanco-naranja. Agatha Collection available in Two Tone Lacquered white-red and white-orange.
** Biophilia Collection y F3 Collection disponibles en todas las opciones de Bicolor Lacado, compuesto por blanco y un color de la columna de lacado. Biophilia Collection and F3 Collection available in all the Two Tone Lacquered options, composed of white tone and a colour from the lacquered column.

Products and Finishes

Colores / Colors

Tejidos / Fabrics



Products and Finishes

Colores / Colors


Tejidos / Fabrics

	Básico / Basic														Lacado / Lacquered														Inyección / Injection							Metal / Metal																HPL		Vidrio Glass			CONCRETE Table Top	Madera Wood					Group 2	Group 1					
	White	Black	Ecru	Tortora	Cream	Camel	Clay	Garnet	Brown	Green	Blue	Gray	Anthracite	Ice	Ecru (Granite)	Cream (Granite)	White	Black	Ecru	Tortora	Cream	Camel	Clay	Garnet	Brown	Green	Blue	Gray	Anthracite	White	Black	Ecru	Tortora	Cream	Clay	Jade	Ocean	White Glossy	Cristal Clear	Ambar clear	Fumé clear	Zaphire clear	White	Black	Ecru	Tortora	Cream	Camel	Clay	Garnet	Brown	Green	Ocean	Blue	Gray	Anthracite	Smoked	Solid Core	Black Edge	Clear	Bronz	White	Black		Wood 1	Wood 2	Teak	Weathered	Iroko		1A	1B	1C	Roof Fabric	Breathable Fabric	Roof Rope	Curtain Fabric 1 & 2
Manta /Chairs																													○	●	●										○	●																								●	●																
Mari-sol / Tables																																									○	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																												
Marquis / Planters	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●																		

Products and Finishes

Colores / Colors


Tejidos / Fabrics



Products and Finishes

Colores / Colors

Tejidos / Fabrics





Technical information

EN | Technical Information

Material / Features

Polypropylene

- Material: Polypropylene resin with glass fiber , UV stabilizer.
- Process: injection moulding.
- Shock resistant.
- Light weight.
- 100% recyclable.

Polyethylene

- Material: resin. Linear low-density polethylene. UI94 hb.
- Process: rotational moulding.
- Resistant to UVI. fattore UV8, equivalent to 8.000 hours of Florida sunlight.
- Resistant to extreme temperatures (-60ºC to + 80ºC) / (-76ºF to 176ºF)
- Shock resistant.
- Light weight
- The planters are easily drilled to make draining holes.
- Recyclable 100%.

Polycarbonate

- Material: polycarbonate resin. Low viscosity, high strength.
- Process: injection moulding.
- Shock resistant.
- Light weight
- Recyclable 100%.

Aluminium (table base)

- Material: AISI12 (EN AC-44100).
- Process: cast aluminum.
- Shock resistant.
- Recyclable 100%.
- Powder coated cast aluminum.

Aluminum (profile)

- Material: 6060 (AlMgSi,3.3206,A96060).
- Process: aluminum extrusion.
- Shock resistant.
- Recyclable 100%.
- Lacquered.

Iroko Wood

- Hard and very resistant wood.
- Process: Machining.
- Shock and outdoor resistant.
- Recyclable 100%.
- Varnished to avoid rain stains.

Teak Wood

- Premium Indonesian teak is durable and exceptionally resistant to the elements
- Natural Teak weathers to a soft, silver-grey patina over time due to the effects of sun and moisture
- Please check the web for maintenance and care of teak

Weathered Teak Wood

- Premium Indonesian teak is durable and exceptionally resistant to the elements
- Weathered Teak's hand-applied, wire-brush finish offers an already Weathered look
- Please check the web for maintenance and care of teak

Polyurethane Foam (Upholstered Furniture)

Furniture made produced with Polyurethane foam injected. The foam has high resilience and durability. The flexible Polyurethane foam is covered with a elastic cellular net that keeps the original poduct's shape after its use. Prevents fungal and bacterial growth.
Mechanical properties.
- Tensile strength resistance: between 3 & 10 (Kp./cm2)
- Compression resistance: between 1,5 & 9 (Kp./cm2)
- Shear strength resistance: between 1 & 5 (Kp./cm2)
- Modulus of elasticity: between 40 & 200 (Kp./cm2)

Padded Foam

Polyurethane foam is suitable for outdoor use and in areas with high humidity. Perfectly waterproof, high drying capacity, comfortable and easily cleaned.

Properties	Unit	Value	Specifications
Composition	-	100% Polyester	-
Maximum temperature	ºC	110.0	±1.0
Manufacturing process	Dry carded and termal drying		
Recyclability	100%, without additives or binding agents		

Other caracthertics:
•It does not absorb or retain moisture.
•It is not affected by mould, insects or rodents.
•It does not cause irritation to the skin or the mucous membranes.

Table Tops / Features

HPL / Solid Core

HPL Tabletops for Mari-sol, Faz and Delta table bases thickness is 10mm ± 0,55.

Thickness	ISO 4586 ½	mm	13 ± 0,55	
Density	ISO 1183	Kg/m3	1400 - 1500	
Absorción de agua	ISO 4586 ½	%	Weight	2,0 max.
			Thickness	2,0 max.
Estabilidad dimensional a altas temperaturas	ISO 4586 ½	%	Long.	0,25 max.
			Trans.	0,55 max.
Hardness	ASTM D 785	HR E	97 ca	
Resistencia a la flexión	ISO 178	MPa MPa	Long.	145 min
			Trans	135 min

Glass

Security tempered glass. Thickness: 10 mm.

Technical Features	Units	Value
Resistant to soft body impact		2(B)2
Resistance against suddne temperature changes	K	40
Resistant to wind, snow and large weight	mm	10
Sound insulation	dB	34 (-1,-3)
Thermal Properties		
Thermal Transmittance (value U)	W/(m2,K)	5.6
Light Transmission tV		0.53
Light Refletion pV		0.06/0.06
Solar Transmission tE		0.52
Solar Reflection pE		0.06/0.06

Concrete

Furniture elements manufactured in high-strength fibrated mortar, by casting and vibrating in elastomer moulds and rigid fiberglass shell.
- 2,4 g/cm3 density
- Water-repellent protection
- Oil repellent protection
- Diamond abrasive roughening

Fabrics / Features

Fabric	Weight Peso	Flame Resistance	Resistance	Color Fastness	Composition	Maintenance	Symbols
Altea. Soft acrylic outdoor fabric with leather-like texture.	657 gr/m2	EN 1021 1-2 DIN 4102 B2 BS 5852 DIN 53438/T2 CAL TB 117	>100.000 cycles	XENOTEST DIN 54004/ NTC 1479 ASTM D-4329/ CFFA-2 c2	Vinyl Coating, 100% Polyester Backing	Clean using a cotton cloth with neutral soap 1/9 water solution. Rub dry with a clean cloth and let dry.	
Arousa. Soft-shiny acrylic outdoor fabric.	685 gr/m2	EN 1021 1-2 DIN 4102 B2 NF P 92-503 / M2 UNE 23.727-90 IR/ M2 IMO MSC.307 CAL TB 117	>300.000 cycles	>7 - DIN 54004 NTC 1479 (UV outdoor) 4 - ISO 105B04	Vinyl Coating, 100% Polyester Backing	Clean using a cotton cloth with neutral soap 1/9 water solution. Rub dry with a clean cloth and let dry.	

Fabrics / Features

Fabric	Weight Peso	Flame Resistance	Resistance	Color Fastness	Composition	Maintenance	Symbols
Baiona. High density fabric, which provides a sense of strength and an irregular pattern that adds a handcrafted touch.	-	BS 5852 PART 0 AND 1 (MATCH TEST) UNE-EN 1021 PART 1 AND 2 IMO MSC.307 (88) ANEXO 1 PARTE 8 (PEF)	>100.000 cycles	XENOTEST DIN 54004/ NTC 1479 ASTM D-4329/ CFFA-2 c2	100% Solution Dyed Acrylic	Please refer to the table of cleaning solutions for specific fabric stains.	
Calella. Fabric with a rich and unusual texture and exceptional softness, which enhances the comfort of the furniture.	450 gr/m2	BS 5852 PART 0 AND 1 (MATCH TEST) UNE-EN 1021 PART 1 AND 2 IMO MSC.307 (88) ANEXO 1 PARTE 8 (PEF)	>300.000 cycles	20000 cycles UNE EN ISO 12497-2:2001	100% Solution Dyed Acrylic	Please refer to the table of cleaning solutions for specific fabric stains.	
Fisterra. Fabric with a rich and unusual texture and exceptional softness, which enhances the comfort of the furniture	600 gr/m2	-	75.000 cycles UNI EN ISO 12947-2:2001	(UV outdoor) >7 - UNI EN ISO 105-B02 7 - UNI EN ISO 105-B04 (chlorinated water) 4 / 5 -UNE EN ISO 105-E03:2010	70% PC-Acrylic, 30% PL-Polyester	Please refer to the table of cleaning solutions for specific fabric stains.	
Portonovo. Fabric with a clean and simple design, which adapts to any decorative style.	280 gr/m2	BS 5852 PART 0 AND 1 (MATCH TEST) UNE-EN 1021 PART 1 AND 2 IMO MSC.307 (88) ANEXO 1 PARTE 8 (PEF)	20.000 cycles UNI EN ISO 12947-2:2001	(UV outdoor) 7 / 8 - UNE EN ISO 105 - B02 - 2014 (chlorinated water) 5 / 5 - UNE EN ISO 105-E03:2010	100% Solution Dyed Acrylic	Please refer to the table of cleaning solutions for specific fabric stains.	
Curtain Fabric 1. Lightweight and semitransparent fabrics for curtains	165 gr/m2	-	25.000 cycles	(UV indoor) 8/8 - ISO 105B02 (UV outdoor) 4-5 - ISO 105B04	100% Acrylic	Clean using a cotton cloth with 1/5 household bleach solution. Remove all bleach residues with water. Rub dry and let dry	OEKO-TEX® STANDARD 100
Curtain Fabric 2. Lightweight and semitransparent fabrics for curtains	-		-	-		CPlease refer to the table of cleaning solutions for specific fabric stains.	
Breathable Fabric. Lightweight and semi-transparent fabrics for curtains. .	500 gr/m2	EN 1021 1-2 EN 13501 - 1 DIN 4102 B1 NFP 92-507 CAL TB 117	>120.000 cycles	4/5 ASTM G154	70% PC-Acrylic, 30% PL-Polyester	Please refer to the table of cleaning solutions for specific fabric stains.	
Ribadeo. Fabric whose marbled yarns of different thicknesses create a rich and visually interesting texture. Natural style, linen look	657 gr/m2	-	80.000 cycles UNI EN ISO 12947-2:2001	(UV outdoor) >7 - UNI EN ISO 105-B02 7 - UNI EN ISO 105-B04 (chlorinated water) 4 / 5 - UNE EN ISO 105-E03:2010	Polyester fibre protected with PVC coating.	Wash the mesh with a mild liquid detergent and fresh water, using a soft bristle brush. Batyline mesh has anti-fungal treatment where the moist will have no effect on it.	
Louro. Soft and versatile fabric. It has a neutral base color that makes it easy to integrate with	557 gr/m2	-	65.000 cycles UNI EN ISO 12947-2:2001	(UV outdoor) >7 - UNI EN ISO 105-B02 7 - UNI EN ISO 105-B04 (chlorinated water) 4 / 5 -	65% PC-Acrylic, 35% PL-Polyester	Please refer to the table of cleaning solutions for specific fabric stains.	
Suances. Soft and warm terry fabric with color combinations that add	585 gr/m2	-	40.000 cycles	(UV outdoor) >7 - UNI EN ISO 105-B02 7 - UNI EN ISO 105-B04	90% PC-Acrylic, 10%	Please refer to the table of cleaning solutions for specific fabric stains.	
Getaria. Premium fabric with a wide range of colours	-	-	-	-	-	Please refer to the table of cleaning solutions for specific fabric stains.	
Zumaia. Elegant fabric with a pleasant touch and great comfort.	-	-	-	-	-	Please refer to the table of cleaning solutions for specific fabric stains.	
Moraira. Fabric with an original striped design and a versatile selection of colors, great for	564 gr/m2	-	50.000 cycles UNI EN ISO 12947-2:2001	(UV outdoor) >7 - UNI EN ISO 105-B02 7 - UNI EN ISO 105-B04	90% PC-Acrylic, 10% PL-Polyester	Please refer to the table of cleaning solutions for specific fabric stains.	
Teguise. Fabric with a contrasting striped design and colors in harmony with the rest of	607 gr/m2	-	50.000 cycles UNI EN ISO 12947-2:2001	(UV outdoor) >7 - UNI EN ISO 105-B02 7 - UNI EN ISO 105-B04 (chlorinated water) 4	70% PC-Acrylic, 30% PL-Polyester	Please refer to the table of cleaning solutions for specific fabric stains.	
Roses. Small terry fabric, whose neutral colors allow an easy integration with other	460 gr/m2	NFPA 260 EN 1021-1 BS 5852-1(S4) CA TB 117 *		(UV indoor) 7 / 8 - UNE EN ISO 105-B02 (chlorinated water) 5 / 5 - UNE EN ISO 105-E03:2010	100% Solution Dyed Acrylic	Please refer to the table of cleaning solutions for specific fabric stains.	
Llanes. Fabric with a classic striped design that combines elegance and functionality.	280 gr/m2	BS 5852 PART 0 AND 1 (MATCH TEST) UNE-EN 1021 PART 1 AND 2	20.000 cycles UNI EN ISO 12947-2:2001	(UV outdoor) 7 / 8 - UNE EN ISO 105-B02:2014 (chlorinated water) 5 / 5 - UNE EN ISO 105-E03:2010	100% Solution Dyed Acrylic	Please refer to the table of cleaning solutions for specific fabric stains.	

Maintenance & Safety / General

Our productions are manufactured according to ISO 9001:2008 quality and ISO 14001:2004 environmental quality, by using high quality materials we guarantee long life of our products.

In order to provide a durable and safe use to the product, please follow the following recommendations:

- Continuous exposure to the sun (especially with the dark colors) can cause burning injuries by direct contact with your skin. To avoid this, please check the temperature of the furniture in case of long-term exposure to the sun.

- Place the item on a flat surface to avoid uncontrolLED movements.

- Keep the item far from excessive heat sources.

- The product is not a toy. To avoid accidents, do not to allow children to play with it.

- Keep furniture away dust to keep it clean, if cleaning is be required we recommended the use of pressure washers, such as KARCHER'S and/or domestic degreasing cleaner periodically. Never use abrasive or corrosive products.

- To preserve the product, we recommend the usage of VONDOM cover for every item.

- In the case of lacquered products, we recommended car wax every 2 or 3 months, as it will avoid the appearance of possible scratches.

- Outdoor cushions are available only some models. We recommended you clean them periodically with a cloth and basic soap and water.

- Clean the stainless steel parts with appropriate products.

- When changing bulbs, please make sure the cord is not connected to the main power.

- If cords suffer any damage, they must be changed exclusively by the manufacturer or by a professional.

- If the RGBW LED stops working, please do not handle it. Contact the manufacturer or your distributor inmediately.

Cleaning / General

Vondom Outdoor Furniture cleans easily and stays impeccable.

Steps for clean outdoor furniture:

1. Spray the degreaser over the dirty surface.
2. Rub it with a damp cloth.
3. Rinse with abundant water with pressure washer.

Cautions! Don't use pressure washer for cushions and lacquered finish items.

4. Dry it outside and enjoy our products.

We hope you enjoy our products. If you need any further information, please contact our CUSTOMER SERVICE department by calling **+34 96 239 84 86** or sending us an e-mail to **info@vondom.com**.

Key Icons



Please avoid direct exposure to sun and rain.

Studio Vondom
Marzo_2025

ES | Las posibles diferencias entre el color original y el color reproducido se deben a la técnica de impresión.

VONDOM se reserva el derecho exclusivo sobre todas las marcas, fotografías y diseños utilizados en sus colecciones, por lo que queda prohibida la fabricación, distribución y/o comercialización de los productos que los contienen, en cualquier medio o soporte.

En particular quedan reservados a favor de su titular los derechos de reproducción total o parcial, la transformación de los mismos y/o su utilización fuera de la esfera privada y con fines comerciales.

VONDOM se reserva el derecho de modificar total o parcialmente sin aviso previo cualquiera de los datos y especificaciones de esta publicación.

Toda la información que aparece en este catálogo referente a dimensiones y capacidades son aproximadas.

© Copyright. 2025. Vondom, S.L.U.

Todos los Derechos a beneficio de VONDOM

EN | The possible differences between pictures and real items could be due to the colors in the printing technology process.

VONDOM all rights related to trademarks, pictures and designs are reserved.

All manufacturing distribution and/or trading activities in any media of the products displayed in the collections are prohibited. Specifically those rights about total or partial reproduction, transformation and/or usage in public with commercial purposes.

VONDOM reserves the right to effect any changes or improvements, without notice.

All the information included in this catalogue regarding sizes and capacities are approximated.

© Copyright. 2025. Vondom, S.L.U.

All rights reserved to the order of VONDOM

VONDOM

vondom.com

HEAD QUARTERS - FACTORY

VONDOM S.L.U.
Poligono 6, 16
46293 - Beneixida, Valencia - Spain
t.: +34 96 239 84 86 - info@vondom.com

Latinoamérica

Av. Pdte. Masaryk 42, Rincón del Bosque,
Polanco V Secc, Miguel Hidalgo
11580 Ciudad de México, México
t.: +52 55 11 13 99 73 - +52 55 11 99 74
latam@vondom.com

USA

VONDOM LLC.
8803 NW 23rd Street,
Miami, FL 33172 - USA
ph.: +1 786 391 0274 - +1 786 353 9108
infousa@vondom.com

China

VONDOM Lifestyle Design Co., Ltd.
C6-103, No. 700, Wan Rong Road, Jing An
200072 – Shanghai - China
+86 21 6521 9916
infochina@vondom.com

VONDOM